




1/2" = 1'-0" NOTE:



X	KEY NOTE
100	SEE REFERENCE SHEETS A0.30 & A0.31 FOR WALL TYPES. SUBSTRATE TO BE 5/8" PLYWOOD W/ 2" O' CEMENT BOARD BASE U.N.O.
101	REFER TO SHEET A1.01 FOR ORDER SCHEDULE/DETAILS.
105	WALL TILE, SOFFIT TILE, AND BASES SHALL BE THIN SET WITH ADHESIVE IN ACCORDANCE WITH THE TILE COUNCIL OF AMERICA, INC. ANSI A001.008.5. NOTE: ALL WALL AND SOFFIT TILE SUPPLIED AND INSTALLED BY GENERAL CONTRACTOR.
106	GENERAL CONTRACTOR SHALL PROVIDE AND INSTALL F.R.P. ACCORDING TO THE MANUFACTURER'S INSTRUCTIONS FOR APPLICATION OVER PLYWOOD SUBSTRATE.
107	GENERAL CONTRACTOR SHALL PROVIDE AND INSTALL STAINLESS STEEL PANELS OVER 1/2" CEMENT BOARD SUBSTRATE FROM TOP OF QUARRY TILE BASE TO BOTTOM OF HOOD AND ALONG LENGTH OF HOOD AT BACK AND TO 18" ON EITHER SIDE. SEE INTERIOR ELEVATIONS.
108	GENERAL CONTRACTOR SHALL INSTALL 2" X 2" STAINLESS STEEL CORNER GUARDS OR END CAPS FROM FLOOR TO CEILING AT ALL OUTSIDE CORNERS WITHIN THE PREP ROOM. SCREW FASTEN AND SEAL WITH CLEAR SILICONE, TYP., AT ALL OUTSIDE CORNERS. SEE DETAIL 2/A1.10.
109	HOT WATER HEATER ABOVE. REFER TO DETAIL 2/P.05 AND PLUMBING DRAWINGS.
112	EXISTING STRUCTURAL COLUMN TO REMAIN.



© Copyright 2019
DS Architecture, LLC. All rights reserved.

TravelCenters of America LLC

Tejon East Travel Plaza at Wheeler Ridge

5621 Outlets at Tejon Parkway
Wheeler Ridge, CA 93203

Issue Description:
ISSUED FOR PERMIT

Revision Schedule


Revision Schedule		
#	DATE	DESCRIPTION

Project #: 19027
Issue Date: 08/21/2019

C-A1.0

CHARLEYS ENLARGED FLOOR PLAN AND NOTES


8/21/2019 3:29:00 PM



INTERIOR FINISH SCHEDULE

(MARK)	MATERIAL	MANUFACTURER	MODEL NO.	COLOR	FINISH	COMMENTS
T-1	CERAMIC WALL TILE (FRONT COUNTER)	DALTILE (CONTACT: TERRIE MILLER, 216.409.3153)	GAINESWOOD	WALNUT GW07	MATTE	GROUT: CUSTOM BUILDING PRODUCTS #185 NEW TAUPE. TILE SIZE: 6" X 24" KEEP FIELD TILE SIZE AND INSTALL TILE HORIZONTALLY
T-3	CERAMIC KITCHEN WALL TILE	DALTILE (CONTACT: TERRIE MILLER, 216.409.3153)	LINEAR	MATTE ARCTIC WHITE 0790	MATTE	GROUT: CUSTOM BUILDING PRODUCTS #333 ALABASTER, 1/8" GROUT LINES. TILE SIZE: 4" X 8" KEEP FIELD TILE SIZE AND STAGGER THE INSTALL OF THE TILE HORIZONTALLY
QT-1	QUARRY FLOOR TILE (KITCHEN)	DALTILE (CONTACT: TERRIE MILLER, 216.409.3153)	0T03	ASHEN GRAY		GROUT: CUSTOM BUILDING PRODUCTS #19 PEWTER. TILE SIZE: 6" X 6" KEEP FIELD TILE DIMENSIONS AND STACK INSTALL
QTB-1	QUARRY BASE TILE (KITCHEN)	DALTILE (CONTACT: TERRIE MILLER, 216.409.3153)	0T03	ASHEN GRAY		GROUT: CUSTROM BUILDING PRODUCTS #19 PEWTER. TILE SIZE: 6" X 6" WITH MINIMUM OF 3/8" RADIUS COVE
P-1	PAINT (DOORS)	SHERWIN WILLIAMS	SW 9167	POLISHED CONCRETE		
P-2	PAINT (CEILING)	SHERWIN WILLIAMS	SW 7048	URBANE BRONZE		
P-4	PAINT (POPS OF COLOR AS NOTED)	SHERWIN WILLIAMS	SW 6868	REAL RED	SATIN	
S-1	SOLID SURFACE MATERIAL	HI MACS	M430	LAGO		SUPPLIED BY FURNITURE/MILLWORK VENDOR
SS	STAINLESS STEEL	LOCAL SUPPLIER	18-20 GAUGE		SMOOTH	
PL-1	PLASTIC LAMINATE	WILSONART (1.800.433.3222)	7110K-78	MONTANA WALNUT	FINE GRAIN	INSTALLED EXTERIOR FACE OF CABINETS AND DOORS
FRP	FIBERGLASS REINFORCED POLYESTER PANELS	MARLITE	P100	WHITE		INSTALL PER MANUFACTURER'S INSTRUCTION. PROVIDE TOP AND VERTICAL MOLDING AS REQUIRED. CAULK ALL EDGES FOR WATER TIGHT SEAL
SCP-1	KITCHEN CEILING TILE	USG INTERIORS (1.800.950.3839)	#3270 CLIMAPLUS 24" X 48"	WHITE, VINYL FACED		CLASS A, FLAME SPREAD =< 20, SMOKE DEVELOPED =< 5 W/ USG DX 15/16" WHITE SUSPENSION SYSTEM
SCP-2	KITCHEN CEILING TILE	USG INTERIORS (1.800.950.3839)	#3260 CLIMAPLUS 24" X 24"	WHITE, VINYL FACED		CLASS A, FLAME SPREAD =< 20, SMOKE DEVELOPED =< 5 W/ USG DX 15/16" WHITE SUSPENSION SYSTEM
PL-2	PLASTIC LAMINATE	WILSONART (1.800.433.3222)	D354	DESIGNER WHITE	MATTE	INSTALLED INTERIOR FACE OF CABINETS

NOTE: ALL TILE AND SETTING MATERIALS MUST BE PURCHASED THROUGH DALTILE. SEE SPECIFICATIONS G0.31




4 TYP. WALL/FLOOR WATER PROOFING DETAIL

1 1/2" = 1'-0" NOTE:

3 COOLER TRIM DETAIL

1 1/2" = 1'-0" NOTE:



TYPICAL SHELVING ELEVATION

SCALE: 1/4" = 1'-0"

TYP. ELEV. AT HAND SINK


SCALE: 1/4" = 1'-0"

2 TYPICAL ELEVATION DETAILS

1/4" = 1'-0" NOTE:

ROOM FINISH SCHEDULE


ROOM NAME	FLOOR FINISH	WALL FINISH	BASE FINISH	CEILING FINISH
WALK-IN COOLER	QT-1	BY MANUFACTURER	QTB-1	N/A
WALK-IN FREEZER	QT-1	BY MANUFACTURER	QTB-1	N/A
SALES	QT-1	SEE ELEVATIONS	SEE ELEVATIONS	SEE REFLECTED CEILING PLAN
KITCHEN	QT-1	FRP	QTB-1	SCP-1
COOK LINE	QT-1	T-3	QTB-1	SCP-1
OFFICE	QT-1	FRP	QTB-1	SCP-1



DS ARCHITECTURE

Kent, Ohio Cleveland, Ohio

DS Architecture is a Limited Liability Company



LUCAS W. KRAFT
No. 033465
06/30/19
RENEWAL DATE

STATE OF CALIFORNIA

© Copyright 2019
DS Architecture, LLC. All rights reserved.

TravelCenters of America LLC

Tejon East Travel Plaza at Wheeler Ridge


5621 Outlets at Tejon Parkway
Wheeler Ridge, CA 93203

Issue Description: ISSUED FOR PERMIT		
Revision Schedule	#	DATE DESCRIPTION

Project #:	19027
Issue Date:	08/21/2019

C-A1.1

CHARLEYS FINISH
PLAN, SCHEDULE,
AND DETAILS



3 REFLECTED CEILING PLAN

1/4" = 1'-0" NOTE:




ALL CEILING FINISHES ABOVE THE FOOD PREPARATION/STORAGE AND WARE WASHING AREAS MUST BE SMOOTH, EASILY CLEANABLE, AND NON-ABSORBENT.

- CEILING PLAN LEGEND:**
- SUPPLY CEILING DIFFUSER
 - RETURN CEILING REGISTER
 - 2X2 LAY-IN LED LIGHT FIXTURE
 - LED BAR LIGHT FIXTURE
 - GYPSUM BOARD CEILING
 - 2"X4" SUSPENDED CEILING GRID SYSTEM WITH 2"X4" LAY-IN ACOUSTICAL CEILING TILES
 - SURFACE MOUNTED FIXTURE
 - 2"X2" SUSPENDED CEILING GRID SYSTEM WITH 2"X2" LAY-IN ACOUSTICAL CEILING TILES
 - LED RECESSED LIGHT FIXTURE
 - PENDANT FIXTURE
 - EMERGENCY EXIT SIGN / LIGHT COMBO
 - EMERGENCY EXIT LIGHT
 - FLUE

REFLECTED CEILING PLAN CONSTRUCTION NOTES:

X	KEY NOTE
200C	GENERAL CONTRACTOR SHALL PROVIDE AND INSTALL LAY-IN CEILING SYSTEM AS INDICATED ON REFLECTED CEILING PLAN. THE ENTIRE PERIMETER MUST BE SILICONE CAULKED WHERE GRID MEETS WALL.
201C	GENERAL CONTRACTOR SHALL PROVIDE AND INSTALL 5/8" TYPE 'X' GYPSUM BOARD CEILING/SOFFITS AND PAINT PER REFLECTED CEILING PLAN, SECTIONS, AND ELEVATIONS.
203C	MECHANICAL DIFFUSERS - SEE M-1 FOR EXTENT OF MECHANICAL WORK.
204C	TYPE 1 HOOD. SEE EQUIPMENT PLAN & MECHANICAL DRAWINGS.
205C	REFER TO FINISH SCHEDULE SHEET C-A1.1 FOR CEILING FINISHES.



2 MENU BOARD SOFFIT DETAIL

1" = 1'-0" NOTE:

DS ARCHITECTURE
Kent, Ohio Cleveland, Ohio
DS Architecture is a Limited Liability Company

LICENCED ARCHITECT
LUCAS W. KRAFT
No. 053465
06/30/18 RENEWAL DATE
STATE OF CALIFORNIA

© Copyright 2019
DS Architecture, LLC. All rights reserved.

TravelCenters of America LLC
Tejon East Travel Plaza at Wheeler Ridge


5621 Outlets at Tejon Parkway
Wheeler Ridge, CA 93203

Issue Description:
ISSUED FOR PERMIT

Revision Schedule	#	DATE	DESCRIPTION
-------------------	---	------	-------------

Project #: 19027
Issue Date: 08/21/2019

C-A1.2
CHARLEYS
ENLARGED
REFLECTED CEILING
PLAN AND NOTES



1 EQUIPMENT PLAN
1/2" = 1'-0" NOTE:

WALK-IN COOLER SPECIFICATIONS:

CONTRACTOR SHALL INSTALL NEW WALK-IN COOLER/FREEZER TO HAVE THE FOLLOWING SPECIFICATIONS:

COOLER AND FREEZER WALLS: FOAM PLASTIC INSTALLED IN A MAXIMUM THICKNESS OF 10 INCHES (254 MM).

COOLER AND FREEZER WALLS SHALL:

1. HAVE A FLAME SPREAD INDEX OF 25 OR LESS AND A SMOKE-DEVELOPED INDEX OF NOT MORE THAN 450, WHERE TESTED IN A MINIMUM 4 INCH (102MM) THICKNESS.
2. HAVE FLASH IGNITION AND SELF-IGNITION TEMPERATURES OF NOT LESS THAN 6000 F AND 8000 F (3160 C AND 4270 C) RESPECTIVELY.
3. HAVE A COVERING OF NOT LESS THAN 0.032 INCH (0.8 MM) ALUMINUM OF CORROSION-RESISTANT STEEL HAVING A BASE METAL THICKNESS NOT LESS THAN 0.0160 INCH (0.4 MM) AT ANY POINT.
4. BE PROTECTED BY AN AUTOMATIC SPRINKLER SYSTEM WHERE THE COOLER OR FREEZER IS WITHIN A BUILDING. BOTH THE COOLER AND FREEZER, AND THAT PART OF THE BUILDING IN WHICH IT IS LOCATED, SHALL BE SPRINKLERED.

PROVIDE DRY TYPE SPRINKLER HEADS IN COOLER/FREEZER.

FIRE EXTINGUISHER NOTES:

CLASS ABC FIRE EXTINGUISHER: EXTINGUISHERS SHALL BE CONSPICUOUSLY LOCATED AND READILY ACCESSIBLE. THE TOP OF THE EXTINGUISHER SHALL NOT BE MORE THAN 5 FT. ABOVE THE FLOOR AND THE BOTTOM OF THE EXTINGUISHER SHALL NOT BE LESS THAN 4 IN. ABOVE THE FLOOR. EXTINGUISHERS SHALL BE INSTALLED IN ACCORDANCE WITH CLASSIFICATION, RATING, AND DISTRIBUTION REQUIREMENTS OF NFPA 10. [NFPA 1: 13.6.1.2]

CLASS K FIRE EXTINGUISHER: CLASS K FIRE EXTINGUISHERS SHALL BE PROVIDED FOR HAZARDS WHERE THERE IS A POTENTIAL FOR FIRES INVOLVING COMBUSTIBLE COOKING MEDIA. [NFPA 10.4.3.2]

ITEM	QTY.	MFG.	MODEL	SPECIFICATION	DESCRIPTION
CPSW	1	BY OWNER	BY OWNER	156" X 39" STANDARD ARTWORK MENU BOARD	
E1	2	BY OWNER	BY OWNER	CASH REGISTER W/ EXTRA TILL	
E2	2	BY OWNER	BY OWNER	GOOSENECK MICROPHONE W/ 13" FLEX	
E4	2	BY OWNER	BY OWNER	REGISTER PRINTER	
E5	2	BY OWNER	BY OWNER	PASEQ 20 WATT AMPLIFIER	
E7	3	BY OWNER	BY OWNER	LCD ORDER MONITOR	
E8	3	BY OWNER	BY OWNER	LCD ORDER MONITOR BRACKET	
E10	1	BY OWNER	BY OWNER	TELEPHONE	
E13	1	BY OWNER	BY OWNER	COMPUTER (CPU), KEYBOARD, & MOUSE	
E14	1	BY OWNER	BY OWNER	COMPUTER MONITOR	
E15	1	BY OWNER	BY OWNER	COMPUTER PRINTER & PRINTER CABLES	
H1	2	CAPTIVEAIRE	CUSTOM	TYPE 1 EXHAUST HOOD W/ SELF-CONTAINED MU AIR, ROOF CURB, & ROOFTOP EXHAUST FAN	
H2	2	ANSUL	R-102	HOOD FIRE SUPPRESSION SYSTEM	
H3-1	1	STANDARD	4A : 60B: C	TYPE ABC FIRE EXTINGUISHER PER LOCAL FIRE CODE	
H3-2	1	K-CLASS	60B : C	TYPE K FIRE EXTINGUISHER PER LOCAL FIRE CODE	
K1-1	1	MAGIKITCH'N	MKG 48	GAS GRILL, 120000 BTU, LOW PROFILE, 48" GRIDDLE PLATE W/ CORD & PLUG FOR CONTROLS	
K1-2	1	DORMONT	1675 KIT 2S-48	GAS CONNECTION HOSE, QUICK DISCONNECT. LOCATED AT GRILL.	
K1-3	4	BY GC	BY GC	36" YELLOW SAFETY RESTRAINT. LOCATED AT GRILL & FRYER	
K1-4	1	BY GC	BY GC	42" LONG, 2" DIAMETER GALV. PIPE W/ 90 DEG. ELBOW @ FLANGE AT EACH END. LOCATED AT GRILL. INSTALL ON COOK LINE WALL EVEN W/ TOP OF GRILL. GC TO ENSURE MOUNTING LOCATION DOES NOT INTERFERE W/ GAS OR ELECTRIC CONNECTIONS.	
K2-1	3	PITCO	SG14RS-1FD	SOLSTICE PREPACKAGED FRYER SYSTEM W/ SOLO FILTER. 40-50 LB TANK. MILIVOLT CONTROL. FRONT & SIDES. UNDER-FRYER DRAWER FILTRATION, 10" CASTERS. 122,000 BTU	
K2-3	3	16500 KIT2S-48	DORMONT	GAS CONNECTOR KIT. LOCATED AT FRYER	
K3-1	1	PITCO	BNB-SG14	SOLSTICE BREAD & BATTER CABINET WITH DUMP STATION, FRYER MATCH DESIGN, 15.5"8" WIDE. INCLUDES 4.5"8" RECESSED PAN/SCREEN, STANDARD FINISH, SS FRONT, FOR PREPACKAGE SYSTEM SG 14 GAS FRYERS	
K3-2	1	PITCO	PFW-1	DUMP STATION MOUNTED HEAT LAMP. 750 WATT HEAT LAMP	
K4	1	PITCO	FAT VAT	FAT VAT TRANSPORT SYSTEM, 40 LB CAPACITY	
K5	1	LINCOLN	V2501/1346 + 1342 (SHELF) + 1345 (CONVEYOR END STOP)	ELECTRIC, VENTLESS, SINGLE-DECK, EXTENDED 50" CONVEYOR, DIGITAL CONTROLS. 208V/60/1-PH, 27.0 AMPS, 3 WIRES, 6.0 KW	
K5-1	1	APW WYOTT	M-95-2	VERTICAL BREAD TOASTER. 240V/60/1-PH, 11.6 AMPS, 2.78 KW	
K6	1	SERVER PRODUCTS	81290	HOT TOPPING DISPENSER. INSTALLED BY GC	
K9	2	TURBO AIR	MST-28-12	REFRIGERATOR (SANDWICH/SALAD PREP)	
K10	1	TURBO AIR	MST-48-18	REFRIGERATOR (SANDWICH/SALAD PREP)	
K11	1	GRINDMASTER	D15-3	CRATHCO CLASSIC BUBBLER PRE-MIX COLD BEVERAGE DISPENSER, SINGLE, ELECTRIC. (1) 5 GALLON CLEAR POLYCARBONATE BOWL, 2 PIECE STAINLESS STEEL DRIPLESS DISPENSE VALVE. 35-41 DEG. F., 8 1/4" CUP CLEARANCE	
K14	1	FABRICATED	CUSTOM	DROP-IN ICE BIN	
K16	1	TURBO AIR	TUR-28SD-D2	UNDERCOUNTER REFRIGERATOR W/ DRAWERS	
K17	1	TURBO AIR	TUF-28SD-D2	UNDERCOUNTER FREEZER W/ DRAWERS	
K18	1	APW WYOTT	HDDIS-2	X*PERT SERIES WARMING DRAWER, SLIMLINE, FREESTANDING, 2 DRAWERS, HOLDS (1) 12"X20"X6.5" PAN PER DRAWER. 120V 7.5 AMPS	
M3	2	SAN JAMAR	C2802	DISPOSABLE CUP DISPENSER	
M4	3	BOBRICK	B-4112	SOAP DISPENSER	
M5	3	AW MENDENHALL	GPT74C	PAPER TOWEL DISPENSER	
M6	1	FIRE KING	BC8C01C-S2-SG40	SAFE	
M7	1	EXCEL	EXC-700	COAT RACK	
M9	1	BY OWNER	BY OWNER	WALL-MOUNTED FIRST AID KIT	
M10	1	MAGNAGRIIP	018	MAGNETIC KNIFE HOLDER	
M11	1	RUBBERMAID	FG199200GRAY	MOP HOLDER	
M12	1	SERVER PRODUCTS	MB-4 87480	TOPPING DISPENSER	
M12-1	1	SERVER PRODUCTS	94013	ROUND ICE PACK. LOCATED IN TOPPING DISPENSER	
M13	1	BY OWNER	BY OWNER	OFFICE DESK CHAIR	
P4	3	ADVANCE TABCO	7-PS-20	DECK MOUNTED HAND SINK W/ BACKSPASH & FAUCET	
P6-1	1	ADVANCE TABCO	FS-1-1818-18L	SINGLE COMPARTMENT PREP SINK W/ DRAIN BOARD	
P6-2	1	ADVANCE TABCO	K-1	SPLASH MOUNT FAUCET	
P7-1	1	AERO MANUFACTURING	MF3-2116-18LR	THREE COMPARTMENT SINK W/ TWO DRAIN BOARDS	
P7-2	1	ADVANCE TABCO	DTA-53	PRE-RINSE ASSEMBLY	
P8	1	SCOTSMAN	CU2026SA-1	SELF-CONTAINED ICE MACHINE	
P11-1	1	GSW	GSW USA SE2024FM	MOP SINK, FLOOR MOUNT, 21"W X 21"L X 9"D BOWL, INCLUDES PLASTIC BASKET STRAINER, STAINLESS STEEL CONSTRUCTION	
P11-2	1	ADVANCE TABCO	K-240	SERVICE SINK FAUCET	
P14	1	SEE PLUMBING DRAWINGS	SEE PLUMBING DRAWINGS	WATER HEATER	
S4	3	NEXEL	18 x 42	WALL MOUNTED (REGULAR ERECTA SHELF W/ TWO SHELVES EACH)	
S5	2	NEXEL	18 x 48	WALL MOUNTED (REGULAR ERECTA SHELF W/ TWO SHELVES EACH)	
S8	2	NEXEL	18 X 48	UNDERCOUNTER SHELVING	
S9	2	NEXEL	18 X 36	UNDERCOUNTER SHELVING	
S10	4	NEXEL	18 x 48	5-TIER FLOOR SHELVING (W/ 7'-0" POLES)	
S11	4	NEXEL	24 x 48	5-TIER FLOOR SHELVING (W/ 7'-0" POLES)	
T2	1	FABRICATED	SEE PLAN FOR WIDTH	EQUIPMENT STAND W/ CASTERS, 2 SHELVES (30" D X 36" H)	
T4	1	FABRICATED	48" W x 24" D x 34" H	DESK	
T5	1	FABRICATED	60" W x 36" D x 37.25" H	SAUCING STATION WORK TABLE	
T7	1	FABRICATED	60" W x 30" D x 20" H	TOASTER STAND W/ LEGS & UNDERSHELF	
T7-1	1	FABRICATED	30" W x 30" D x 20" H	TOASTER STAND W/ LEGS & UNDERSHELF	
T11	3	FABRICATED	48" W X 24" D X 24" H	WORK TABLE, CABINET BASE W/ HINGED DOORS ON CASTERS	

EQUIPMENT NOTES:

1. ALL EQUIPMENT SHALL BE PURCHASED BY THE OWNER AND INSTALLED BY THE GENERAL CONTRACTOR. SIGNAGE IS TO BE INSTALLED BY SIGN VENDOR.
2. FOOD SERVICE AND BEVERAGE DISPENSING EQUIPMENT SHALL COMPLY W/ NSF REQUIREMENTS AND REQUIREMENTS OF LOCAL HEALTH OFFICIALS HAVING JURISDICTION.
3. INSTALLATION AND CONNECTION OF ALL FOOD SERVICE EQUIPMENT IS TO BE PERFORMED BY THE GENERAL CONTRACTOR UNLESS OTHERWISE NOTED.
4. SHELVING UNITS SHALL BE ASSEMBLED AND SET INTO PLACE BY THE GENERAL CONTRACTOR.
5. FOOD SERVICE EQUIPMENT REQUIRING AN ELECTRICAL CONNECTION IS TO BE FURNISHED W/ CORD AND PLUG UNLESS OTHERWISE INDICATED.
6. VERIFY THE ELECTRICAL AND MECHANICAL REQUIREMENTS OF FOOD SERVICE EQUIPMENT PRIOR TO INSTALLATION.
7. SINKS SHALL BE PROVIDED W/ DRAIN TAILPIECES AND FITTINGS. THE GENERAL CONTRACTOR SHALL PROVIDE SHUT-OFF VALVES, SUPPLIES, AND TRAPS NECESSARY TO CONNECT SUCH SINKS.
8. PROVIDE SHUT-OFF VALVE AT HOT AND/OR COLD WATER SERVICE TO EACH PIECE OF EQUIPMENT REQUIRING WATER CONNECTION(S).
9. PROVIDE A BACKFLOW PREVENTER AT EACH PIECE OF EQUIPMENT REQUIRING WATER CONNECTIONS (NOT INCLUDING SINKS).
10. APPLIANCES WITH CASTERS: MOVEMENT OF APPLIANCES SHALL BE LIMITED BY A RESTRAINING DEVICE INSTALLED IN ACCORDANCE WITH THE CONNECTOR AND APPLIANCE MANUFACTURER'S INSTALLATION INSTRUCTIONS PER CMC SECTION 303.5.



TravelCenters of America LLC
Tejon East Travel Plaza at Wheeler Ridge


5621 Outlets at Tejon Parkway
Wheeler Ridge, CA 93023

Issue Description: ISSUED FOR PERMIT		
Revision Schedule		
#	DATE	DESCRIPTION


Project #: 19027
Issue Date: 08/21/2019

C-A2.0


CHARLEYS
EQUIPMENT PLAN
AND SCHEDULE




15 OFFICE ELEVATION
1/4" = 1'-0" NOTE:




14 OFFICE ELEVATION
1/4" = 1'-0" NOTE:




13 OFFICE ELEVATION
1/4" = 1'-0" NOTE:




12 OFFICE ELEVATION
1/4" = 1'-0" NOTE:




11 SALES COUNTER DETAIL
1 1/2" = 1'-0" NOTE:




10 KITCHEN ELEVATION
1/4" = 1'-0" NOTE:




9 KITCHEN ELEVATION
1/4" = 1'-0" NOTE:




8 KITCHEN ELEVATION
1/4" = 1'-0" NOTE:




7 KITCHEN ELEVATION
1/4" = 1'-0" NOTE:




6 FRYER ELEVATION
1/4" = 1'-0" NOTE:




5 GRILL ELEVATION
1/4" = 1'-0" NOTE:




4 SALES AREA ELEVATION
1/4" = 1'-0" NOTE:



3 SALES AREA ELEVATION
1/4" = 1'-0" NOTE:



2 SALES COUNTER ELEVATION
1/4" = 1'-0" NOTE:



1 SALES COUNTER ELEVATION
1/4" = 1'-0" NOTE: