

GENERAL FLOOR PLAN NOTES:

1. DIMENSIONS SHOWN ARE TO FACE OF STUD OR FACE OF EXISTING WALL FINISH, UNLESS OTHERWISE NOTED.
2. START LAYOUT OF STORE FROM BACK OF SPACE TO FRONT COUNTER, UNLESS OTHERWISE NOTED.
3. COORDINATE AND VERIFY ALL DIMENSIONS WITH THOSE INDICATED PRIOR TO INSTALLATION.
4. ALL WALL FINISHES SHALL BE SMOOTH. REMOVE OR RESURFACE TEXTURED WALL SURFACES PRIOR TO APPLYING FINISHES.
5. VERIFY ALL DIMENSIONS AND REPORT DISCREPANCIES TO THE ARCHITECT PRIOR TO FRAMING OR PENETRATING SLAB.
6. ASSURE ADEQUATE BLOCKING FOR ALL CASEWORK, SHELVING, COUNTERTOPS, AND OWNER SUPPLIED EQUIPMENT.
7. REFER TO DOOR SCHEDULE FOR DOOR AND FRAME TYPES.
8. WHERE EXISTING INSULATION IS REMOVED OR MISSING, PATCH AND REPLACE INSULATION TO MATCH EXISTING CONDITIONS AND MAINTAIN REQUIRED R-VALUES.
9. REFER TO EQUIPMENT SHEETS FOR INFORMATION REGARDING EQUIPMENT AND EQUIPMENT LAYOUT.
10. REFERENCE PLUMBING DRAWINGS FOR FLOOR PENETRATION LOCATIONS.
11. ORIENT FLOOR SINKS TO ALIGN WITH ADJACENT PARTITIONS.

KEYNOTES:

X	KEY NOTE
1P	REFERENCE SHEETS A0.30 & A0.31 FOR WALL TYPES. SUBSTRATE TO BE 5/8" PLYWOOD W/ 2'-0" CEMENT BOARD BASE U.N.O.
2P	REFER TO SHEET A1.01 FOR DOOR SCHEDULE/DETAILS.
4P	MOP SINK, REFER DETAILS ON SHEET J-A3.2 AND PLUMBING DRAWINGS.
5P	PROVIDE CUSTOMER SIDE COUNTER FACING PANELS ON SIDE WALL FACING SPLIT CASE.
7P	NEW 6" HIGH POS CURB BY GC WITH 3/4" MARINE GRADE PLYWOOD ON 2X4 WOOD STUDS AT 12" O.C., REFERENCE 5/J-A3.1.

CONTACT INFORMATION:

EQUIPMENT VENDOR

EAST BAY
49 FOURTH ST.
OAKLAND, CA 94607
PHONE: 510.627.0293
EMAIL: LUCILLEC@EBRS.NET
CONTACT: LUCILLE CUNNINGHAM

LIGHTING VENDOR (TRACK FIXTURE ONLY)

REGENCY LIGHTING
2015 MCKENZIE DR., SUITE 109
CARROLLTON, TX 75006
PHONE: 800.284.2024 X 3332
EMAIL: RENE.BARAJAS@REGENCYLIGHTING.COM
CONTACT: RENE BARAJAS

PHONE: 215.489.2500 X 351
EMAIL: JMCALL@SIMON.COM
CONTACT: JON MCCALL

GRAPHICS VENDOR

ADCOLOR
620 ADCOLOR DR.
LEXINGTON, KY 40511
PHONE: 859.263.8163
EMAIL: LORI.MESSNER@ADCOLORINC.COM
CONTACT: LORI MESSNER

STAINLESS VENDOR

WEST STAR INDUSTRIES
4445 E. FREMONT ST.
STOCKTON, CA 95215
PHONE: 209.955.8220
EMAIL: BFOCKE@WESTSTARINDUSTRIES.COM
CONTACT: BEN FOCKE

PHONE: 215.489.2500 X 351
EMAIL: SKUSHNER@MEDIAPLACE.US
CONTACT: SCOTT KUSHNER
DIGITAL MENU BOARD VENDOR

SIGNAGE VENDOR

WALTON SIGNS
10101 REUNION PLACE
SAN ANTONIO, TX 78216
PHONE: 210.926.6070
EMAIL: BPEAVY@WALTONSIGNAGE.COM
CONTACT: BRITTANY PEAVY

MILLWORK VENDOR

WISCONSIN BUILT
400 INTERPANE LANE
DEERFIELD, WI 53531
PHONE: 608.764.8661 X 309
EMAIL: MIKER@WISCONSIN-BUILT.COM
CONTACT: MIKE ROPER

INSPIRATION SCREEN VENDOR


MEDIA PLACE
37-24 24TH STREET, SUITE 113
LONG ISLAND CITY, NY 11101

JAMBA CONSTRUCTION CONTACT

JAMBA JUICE COMPANY
3001 DALLAS PARKWAY, SUITE 700
FRISCO, TX 75034
PHONE: 469.294.9736
EMAIL: CRAVEN@JAMBAJUICE.COM
CONTACT: SARA CRAVEN

JAMBA STORE ARCHITECTURE

JAMBA JUICE COMPANY
3001 DALLAS PARKWAY, SUITE 700
FRISCO, TX 75034
PHONE: 469.294.9776
EMAIL: TDOUTHITT@JAMBAJUICE.COM
CONTACT: THOM DOUTHITT



© Copyright 2019
DS Architecture, LLC. All rights reserved.

TravelCenters of America LLC
Tejon East Travel Plaza at Wheeler Ridge

5621 Outlets at Tejon Parkway
Wheeler Ridge, CA 93203


Issue Description:
ISSUED FOR PERMIT

Revision Schedule
DATE DESCRIPTION

Project #: 19027
Issue Date: 08/21/2019

J-A1.1

JAMBA ENLARGED
FLOOR PLAN AND
NOTES



GENERAL NOTES:


1. LIGHTING, ELECTRICAL EQUIPMENT, HVAC EQUIPMENT, AND SPRINKLERS ARE TO BE MOUNTED AT POINTS IN ACT AS NOTED IN GRAPHIC BELOW UNLESS OTHERWISE DIMENSIONED ON REFLECTED CEILING PLAN.
2. CENTER ACT GRID WITHIN EACH ROOM UNLESS OTHERWISE NOTED.
3. CONTRACTOR TO REPORT CONFLICT BETWEEN RECESSED LIGHT FIXTURES AND CEILING ASSEMBLIES PRIOR TO FRAMING SOFFITS.
4. REFER TO MECHANICAL, ELECTRICAL DRAWINGS, AND SPECIFICATIONS FOR DESIGN OF THESE SYSTEMS (DUCT SIZES, CIRCUITING, ETC.) LOCATIONS OF FIXTURES, REGISTERS, SWITCHES, ETC. SHALL BE AS SHOWN ON THE ARCHITECTURAL PLANS AND DETAILS. NOTIFY ARCHITECT OF ANY CONFLICTS PRIOR TO COMMENCING CONSTRUCTION.
5. VERIFY FIELD CONDITIONS AND LOCATIONS OF ALL PLUMBING, STRUCTURAL ELEMENTS, AND OTHER APPLICABLE ITEMS. NOTIFY PROJECT MANAGER OF INADEQUATE CLEARANCE FOR CEILING LAYOUT.
6. ALL REGISTERS, SPRINKLER HEADS, AND LIGHTING FIXTURES SHALL OCCUR WITHIN GRID LINES INCANDESCENT FIXTURES OR OTHER CEILING ELEMENTS SHALL BE LOCATED AT THE CENTER OF ACOUSTICAL TILES UNLESS OTHERWISE NOTED.
7. ALL LIGHTS MUST BE SUSPENDED INDEPENDENT OF CEILING GRID SYSTEM.
8. CONTRACTOR TO FIELD VERIFY LOCATIONS OF ALL SPRINKLER LINES AND/OR OTHER OBSTRUCTIONS AND RELOCATE AS REQUIRED TO ACHIEVE SCHEDULED CEILING HEIGHTS. CONTRACTOR SHALL COORDINATE ALL SUCH RELOCATION WORK WITH LANDLORD/OWNER PRIOR TO WORK.
9. REFER TO EQUIPMENT SCHEDULE FOR FIRE SPRINKLER TYPES.
10. FOR ROOF PENETRATIONS/BURGLAR BARS, SEE ELECTRICAL SHEETS.
11. ALL LAMPS AND LENSES IN FOOD PREP SERVICE AND CUSTOMER AREAS SHALL BE EASILY CLEANABLE AND SHATTERPROOF.
12. FOR ELECTRICAL REQUIREMENTS AT SERVICE AREA SOFFIT DETAIL, SEE ELECTRICAL DRAWINGS.
13. LIGHT FIXTURES IN WALK-IN COOLER/FREEZER ARE VAPOR PROOF WITH PROTECTIVE LENS AND SUPPLIED BY LIGHTING VENDOR.
14. WALK-IN UNIT COMPRESSOR SHALL BE LOCATED PER MECHANICAL PLANS.
15. GENERAL CONTRACTOR TO COORDINATE LOCATION OF LIGHT FIXTURES WITH OVERHEAD DUCTWORK AND ADJUST LOCATIONS ACCORDINGLY.
16. IF REQUIRED BY CODE, NON-FREEZING SPRINKLER HEADS WITH WIRE PROTECTION CAGES SHALL BE USED IN WALK-IN BOXES. COORDINATE LOCATIONS WITH WALK-IN VENDOR.
17. ANYTIME A BUILDING IS OCCUPIED, THE MEANS OF EGRESS SHALL BE ILLUMINATED WITH A MINIMUM OF NOT LESS THAN 1 FOOT CANDLE AT THE FLOOR.

KEYNOTES:

X	KEY NOTE
2C	PROVIDE TYPE 'H' WALL BLOCKING FOR DIGITAL MENU BOARD, SEE S/J-A3.2.
3C	REFER TO FINISH SCHEDULE SHEET J-A1.3 FOR CEILING FINISHES.
4C	LIGHT FIXTURE BY WALK-IN VENDOR, INSTALLED BY GC. IF LIGHT FIXTURE NOT PROVIDED BY OWNER'S WALK-IN VENDOR, GC TO PROVIDE AND INSTALL. GC TO COORDINATE WITH WALK-IN VENDOR.
5C	CONDENSING UNIT FOR WALK-IN UNIT(S) TO BE INSTALLED ON ROOF. REFER TO MECHANICAL DRAWINGS.
6C	IF REQUIRED BY CODE, NON-FREEZING SPRINKLER HEADS WITH WIRE PROTECTION CAGES SHALL BE USED IN WALK-IN BOX. COORDINATE LOCATIONS WITH WALK-IN VENDOR.
7C	24" X 24" ACCESS PANEL.
8C	GC TO PROVIDE HEAT TRACE TAPE AT FREEZER CONDENSATE LINES. REFER TO ELECTRICAL DRAWINGS.

CEILING SYMBOL LEGEND (REFERENCE ELECTRICAL DRAWINGS FOR SPECIFICATIONS):

	SUPPLY CEILING DIFFUSER		2'X2" SUSPENDED CEILING GRID SYSTEM WITH 2'X2" LAY-IN ACOUSTICAL CEILING TILES
	RETURN CEILING REGISTER		LED RECESSED LIGHT FIXTURE
	2X2 LAY-IN LED LIGHT FIXTURE		PENDANT FIXTURE
	LED BAR LIGHT FIXTURE		EMERGENCY EXIT SIGN / LIGHT COMBO
	GYPSUM BOARD CEILING		EMERGENCY EXIT LIGHT
	2'X4" SUSPENDED CEILING GRID SYSTEM WITH 2'X4" LAY-IN ACOUSTICAL CEILING TILES		FLUE
	SURFACE MOUNTED FIXTURE		



© Copyright 2019 DS Architecture, LLC. All rights reserved.

TravelCenters of America LLC
Tejon East Travel Plaza at Wheeler Ridge


5621 Outlets at Tejon Parkway
Wheeler Ridge, CA 93203

Issue Description: ISSUED FOR PERMIT		
Revision Schedule	#	DATE DESCRIPTION

Project #:	19027
Issue Date:	08/21/2019

J-A1.2

JAMBA ENLARGED
REFLECTED CEILING
PLAN AND NOTES



INTERIOR FINISH SCHEDULE

CODE	MATERIAL	MANUFACTURER	MODEL	L.L.		G.C.		OWNER	COLOR	MODULE	REMARKS	CONTACT INFORMATION
				FURNISHED	INSTALLED	FURNISHED	INSTALLED					
C-1	GYPSUM BOARD CEILING					●	●		SEE RCP FOR PAINT COLOR	5/8"		
C-2	ACOUSTICAL CEILING TILE 2X2	USG INTERIORS	CLIMA PLUS #3260			●	●		WHITE / VINYL FACED	24" X 24"	"SHEETROCK BRAND CLIMA PLUS VINYL" WITH USG DX 15/16" WHITE SUSPENSION SYSTEM	
C-3	ACOUSTICAL CEILING TILE 2X4	USG INTERIORS	CLIMA PLUS #3270			●	●		WHITE / VINYL FACED	24" X 48"	"SHEETROCK BRAND CLIMA PLUS VINYL" WITH USG DX 15/16" WHITE SUSPENSION SYSTEM	
F-1	QUARRY TILE	DALTILE	QUARRY TEXTURES 0T03			●	●		ASHEN GRAY	6" X 6"	GROUT: CUSTOM BUILDING PRODUCTS #19 PEWTER. TILE SIZE: 6" X 6" KEEP FIELD TILE DIMENSIONS AND STACK INSTALL	
B-1	BRASS LAMINATE	WILSONART	SATIN BRUSHED GOLD AL#6258 419			●	●		SATIN BRUSHED GOLD AL#6258 419	4' X 8' SHEETS	CUT TO SIZE IN FIELD. MUST BE SMOOTH AND LEVEL CUT	PATTY GOFFE, GOFFEP@WILSONART.COM, 678.296.7271
B-2	6" QUARRY TILE (COVED)	DALTILE	QUARRY TEXTURES 0T03			●	●		ASHEN GRAY	6" X 6" COVE BASE	GROUT: CUSTOM BUILDING PRODUCTS #19 PEWTER. TILE SIZE: 6" X 6" WITH MINIMUM OF 3/8" RADIUS COVE	
P-1	PAINT (CUSTOMER)	BENJAMIN MOORE	REGAL SELECT, SEMI-GLOSS			●	●		FIDDLEHEAD GREEN, 2041-20	ZERO VOC	NO SUBSTITUTIONS ALLOWED. PRIMER + 2 FINISH COATS	LOCAL VENDOR
P-2A	PAINT (CUSTOMER)	BENJAMIN MOORE	REGAL SELECT, FLAT, 547			●	●		OC-9 BALLET WHITE	ZERO VOC	NO SUBSTITUTIONS ALLOWED. PRIMER + 2 FINISH COATS	LOCAL VENDOR
P-2B	PAINT (SERVICE, BACK AREA)	BENJAMIN MOORE	REGAL SELECT, SEMI-GLOSS, 551			●	●		OC-9 BALLE WHITE	ZERO VOC	NO SUBSTITUTIONS ALLOWED. PRIMER + 2 FINISH COATS	LOCAL VENDOR
P-3	PAINT (PVC PIPES)	BENJAMIN MOORE	GLOSS LATEX ENAMEL			●	●		1485 BRUSHED ALUMINUM		NO SUBSTITUTIONS ALLOWED. VISIBLE PVC PIPES IN SERVICE AREA	LOCAL VENDOR
W-1	WALL TILE	DALTILE	MARAZZI, COSTA CLARA, CLOUD, CC80			●	●		MARAZZI, COSTA CLARA, CLOUD, CC80	6" X 6" HORIZONTAL RUNNING BOND	GROUT: CUSTOM BUILDING PRODUCTS, FUSION PRO #115 PLATINUM, SIZE 1/8"	ASHLEY JEWELL, 720.309.5340
W-2	FRP	MARLITE, CLASS III/C	STANDARD FRP			●	●		P100, WHITE			
WD-2	FIXTURE WOOD	WISCONSIN BUILT	TAMBOUR T331-30			●	●		MAPLE VENEER	MILLWORK FIXTURES	PREFAB PANELS CUT TO FIT IN FIELD BY GC	WISCONSIN BUILT
SS-1	SOLID SURFACE	LG HAUSYS	HL9DCL12			●	●		VS, VENICE LARGE		INCLUDED WITH MILLWORK CABINETS	JERE MCCORKLE, JMMCORKLE@LGHAUSYS.COM, 404.661.3658
PL-1	PLASTIC LAMINATE	WILSONART	STANDARD HPL			●	●		BEIGEWOOD 7850-60 MATTE FINISH			WISCONSIN BUILT

NOTE: ALL TILE AND SETTING MATERIALS MUST BE PURCHASED THROUGH DALTILE. SEE SPECIFICATIONS G0.31

GENERAL NOTES:

- COORDINATE AND VERIFY ALL WALL FINISHES WITH INTERIOR ELEVATIONS AND FINISH SCHEDULE.
- INSTALLED FLOOR FINISHES SHALL BE PROTECTED DURING CONSTRUCTION. DAMAGED FLOOR FINISHED SHALL BE REPLACED AT NO ADDITIONAL COST TO THE OWNER.

FINISH SCHEDULE NOTES:

- GENERAL CONTRACTOR SHALL CORRECT SUBSTRATE WHENEVER GREATER THAN 1/8" GAP OCCURS BETWEEN FINISH MATERIAL AND SUBSTRATE.

HEALTH NOTES:


- ALL CERAMIC WALL TILES IN FOOD-RELATED AREAS MUST BE SMOOTH, EASILY CLEANABLE, AND LIGHT IN COLOR.
- WALLS AND CEILINGS AT FOOD-RELATED AREAS SHALL BE DURABLE, SMOOTH, NON-ABSORBENT, WASHABLE, AND LIGHT COLORED (MINIMUM LIGHT REFLECTANCE VALUE OF 70%)

KEYNOTES:

X	KEY NOTE
4F	REFERENCE 3/J-A3.2 FOR COVED BASE DETAIL. TYPICAL THROUGHOUT SERVICE AREA AND BACK OF HOUSE (UNLESS OTHERWISE NOTED).
5F	MOP SINK, REFER TO DETAILS ON SHEET J-A3.2 AND PLUMBING DRAWINGS.
8F	PREFABRICATED COMBINATION WALK-IN COOLER/FREEZER BY VENDOR. FLOORLESS COOLER AND FREEZER OVER INSULATED SLAB WITH QUARRY TILE FLOOR AND BASE BY GC. GO TO COORDINATE EQUIPMENT INSTALLATION.
10F	NEW 6" POS CURB BY G.C. WITH 3/4" MARINE GRADE PLYWOOD ON 2X4 WOOD STUDS AT 12" O.C., REFERENCE 5/J-A3.1.

ROOM FINISH SCHEDULE:

ROOM NAME	FLOOR FINISH	WALL FINISH	BASE FINISH	CEILING FINISH
COOLER	F-1	BY MANUFACTURER	B-2	N/A
FREEZER	F-1	BY MANUFACTURER	B-2	N/A
BACK AREA	F-1	W-1	B-2	C-3
OFFICE	F-1	W-1	B-2	C-3
SERVICE AREA	F-1	SEE ELEVATIONS	B-2	SEE REFLECTED CEILING PLAN




© Copyright 2019 DS Architecture, LLC. All rights reserved.


TravelCenters of America LLC
Tejon East Travel Plaza at Wheeler Ridge
5621 Outlets at Tejon Parkway
Wheeler Ridge, CA 93203

Issue Description: ISSUED FOR PERMIT		
Revision Schedule		
#	DATE	DESCRIPTION


Project #: 19027
Issue Date: 08/21/2019




14 OFFICE ELEVATION
1/4" = 1'-0" NOTE:




13 OFFICE ELEVATION
1/4" = 1'-0" NOTE:




12 OFFICE ELEVATION
1/4" = 1'-0" NOTE:




11 OFFICE ELEVATION
1/4" = 1'-0" NOTE:




10 BACK AREA ELEVATION
1/4" = 1'-0" NOTE:




9 BACK AREA ELEVATION
1/4" = 1'-0" NOTE:




8 BACK AREA ELEVATION
1/4" = 1'-0" NOTE:




7 BACK AREA ELEVATION
1/4" = 1'-0" NOTE:




6 SERVICE AREA ELEVATION
1/4" = 1'-0" NOTE:




5 SERVICE AREA ELEVATION
1/4" = 1'-0" NOTE:




4 SERVICE AREA ELEVATION
1/4" = 1'-0" NOTE:



3 SERVICE AREA ELEVATION
1/4" = 1'-0" NOTE:



2 SALES COUNTER BACK ELEVATION
1/4" = 1'-0" NOTE:




1 SALES COUNTER FRONT ELEVATION
1/4" = 1'-0" NOTE:

KEYNOTE LEGEND:

X	KEY NOTE
2I	ELIASON DOOR - REFER TO DOOR SCHEDULE A1.01 FOR FINISHES.
3I	CORNER GUARD, REFER TO 2/A1.10. TYPICAL AT ALL SERVICE AREA AND BACK OF HOUSE WALLS.
4I	MENU BOARD MONITOR, REFER TO ELECTRICAL DRAWINGS.
10I	PAINT ALL EXPOSED PVC PIPE VISIBLE TO CUSTOMER [P-2], DO NOT PAINT COPPER PIPING.
11I	QUARRY TILE COVE BASE AT WALK-INS, TYPICAL.

NOTE:

SEE EQUIPMENT SCHEDULE J-EQ1.2 FOR EQUIPMENT/GRAPHICS REFERENCES (<XXX>)



TravelCenters of America LLC
Tejon East Travel Plaza at Wheeler Ridge

5621 Outlets at Tejon Parkway
Wheeler Ridge, CA 93203

Issue Description:
ISSUED FOR PERMIT
Revision Schedule
DATE DESCRIPTION

Project #: 19027
Issue Date: 08/21/2019

J-A2.1

JAMBA INTERIOR
ELEVATIONS


Issue Description: ISSUED FOR PERMIT		
Revision Schedule		
#	DATE	DESCRIPTION

Project #:	19027
Issue Date:	08/21/2019


J-A3.1

JAMBA DETAILS


8/21/2019 3:30:28 PM





1 SECTION AT BLENDER WALL
1" = 1'-0" NOTE:





2 SECTION AT HAND-OFF COUNTER WALL
1" = 1'-0" NOTE:



4 POS COUNTER SECTION
1" = 1'-0" NOTE:



COOLER JAMB BACKING FOR ANCHOR DETAIL




FREEZER JAMB BACKING FOR ANCHOR DETAIL

SEISMIC ANGLE CLIP

- USE: 3" X 3" X 3" LONG X 3/16" THICK SEIS. ANGLE CLIPS AT EACH SIDE OF DOOR AS SHOWN ON DETAIL ON PLANS.
- USE: (2) #12 TEK S.M.S. FOR SEIS. ANGLE CLIPS INTO 16 GA. GALV. STEEL BACKING AS SHOWN.
- USE: 1/2" DIA. X 2 1/4" EMBED. RED HEAD WEDGE ANCHORS PER CLIP INTO CONG. SLAB, PER ICBO ER REPORT #ESR-2427

AT DOOR JAMB LOCATION FOR SEIS. CLIPS



M = 219 X 1.5" = 329 * LBS

S = .6149**3

MIN. Z = [(6X.0149) / 3]^(1/2) = 0.172" < 0.1875", OK

MAX. UPLIFT = 219 LBS, DESIGN
#12 TEK. INTO 16 GA.
ALLOWABLE SHEAR = 1460/5 F.S. = 292# EA., OK
1/2 DIA. X 2 1/4" EMBEDDED R.H. WEDGE ANCHOR
ALLOWABLE PULLOUT (TENS.) = 580# W/O SPECIAL INSPECTION.

5 WALK-IN UNIT WALL ANCHORAGE DETAILS
1 1/2" = 1'-0" NOTE:


TravelCenters of America LLC
Tejon East Travel Plaza at Wheeler Ridge
5621 Outlets at Tejon Parkway
Wheeler Ridge, CA 93203

Issue Description:
ISSUED FOR PERMIT
Revision Schedule
DATE DESCRIPTION

Project #: 19027
Issue Date: 08/21/2019


J-A3.2

JAMBA DETAILS




1 SECTION AT SERVICE AREA SOFFIT

1" = 1'-0" NOTE:




3 MOP SINK DETAIL

1" = 1'-0" NOTE:




4 SECTION AT MOP SINK

3" = 1'-0" NOTE:




2 SECTION AT MOP SINK DRAIN

3" = 1'-0" NOTE:



5 COVED TILE BASE

3" = 1'-0" NOTE:



1 ENLARGED EQUIPMENT PLAN

1/2" = 1'-0" NOTE:

GENERAL NOTES:


1. GENERAL CONTRACTOR SHALL TAKE DELIVERY OF ALL STORE EQUIPMENT ON DATES SCHEDULED BY OWNER.
2. GENERAL CONTRACTOR SHALL NOTIFY OWNER'S REPRESENTATIVE OF ANY DAMAGED OR MISSING ITEMS IN SHIPMENTS WITHIN 24 HOURS OF DELIVERY. ITEMS DETERMINED MISSING OR DAMAGED AFTER 24 HOURS FROM DELIVERY SHALL BE REPLACED AT GENERAL CONTRACTOR'S EXPENSE.
3. ALL EQUIPMENT SHALL BE INSTALLED AND TESTED FOR OPERATION PRIOR TO STORE PUNCHLIST BY THE GENERAL CONTRACTOR. GENERAL CONTRACTOR TO NOTIFY OWNER'S REPRESENTATIVE OF EQUIPMENT NOT OPERATIONAL.
4. GENERAL CONTRACTOR IS RESPONSIBLE FOR ALL FINAL CONNECTIONS OF OWNER PROVIDED EQUIPMENT TO ELECTRICAL, PLUMBING, AND COMMUNICATION.
5. REQUIREMENTS SHOWN ARE FOR ONE ITEM, TO DERIVE TOTAL, MULTIPLY BY QUANTITY SHOWN.
6. ELECTRICAL CONTRACTOR SHALL PROVIDE MAG. STARTERS, DISCONNECT SWITCHES, INTERLOCKS, AND THERMO-OVERLOAD PROTECTION WHERE REQUIRED.
7. PLUMBING CONTRACTOR SHALL PROVIDE STOP VALVES AHEAD OF ALL OPERATING HANDLES AND FAUCETS.
8. SEE EQUIPMENT PLUMBING AND ELECTRICAL ROUGH-IN DRAWINGS FOR ADDITIONAL INFORMATION.
9. GAS SUPPLY TO ALL EQUIPMENT ITEMS SHALL BE PROVIDED WITH A MECHANICAL VALVE FOR SUPPLY BY THE PLUMBING CONTRACTOR.
10. ALL WALK-IN BOX COILS REQUIRE CONNECTIONS TO SOLENOID. ALL CONNECTIONS TO THE REMOTE COMPRESSOR TO BE PROVIDED BY THE ELECTRICAL CONTRACTOR.
11. VACUUM BREAKERS WHEN USED TO BE MINIMUM OF SIX INCHES ABOVE THE FLOOR LEVEL RIM WITH NO SHUT OFF DEVICES BEYOND THE DISCHARGE OR THE VACUUM BREAKER.
12. WALL BLOCKING PROVIDED BY GENERAL CONTRACTOR.
13. BACK SPLASHES OF EQUIPMENT SHALL BE SEALED TO WALLS WITH SILVER SILICONE CAULK IN A NEAT WORKMAN LIKE MANNER.
14. GENERAL CONTRACTOR SHALL CONFORM AND COORDINATE ALL UTILITY AND HVAC PENETRATIONS THROUGH ROOF. CONTRACTOR TO VERIFY WITH LANDLORD WARRANTY REQUIREMENTS.
15. GC TO PROVIDE FLASHING AT ALL VERTICAL JOINTS BETWEEN WALL AND WALK-IN UNITS WITH 3" X 3" CONTINUOUS STAINLESS STEEL CLOSURE STRIPS. REFERENCE 4/J-A3.1.
16. GENERAL CONTRACTOR SHALL VERIFY ALL DIMENSIONS FOR CASEWORK WITH CASEWORK VENDOR AND REPORT DISCREPANCIES OR CONFLICTS IMMEDIATELY TO ARCHITECT.
17. SEE PLUMBING DRAWINGS FOR FLOOR SINK AND SLAB PENETRATION LOCATIONS.

HEALTH NOTES:

1. ALL FOOD SERVICE EQUIPMENT, FABRICATED ITEMS, AND THEIR INSTALLATION SHALL MEET NATIONAL SANITATION FOUNDATION (N.S.F.) REQUIREMENTS.
2. ALL STATIONARY EQUIPMENT AND FIXTURES TO BE SEALED TO THE WALL OR ADJACENT EQUIPMENT. USE ALUMINUM COLOR AT STAINLESS STEEL AND CLEAR AT ALL OTHERS.
3. ALL SINKS IN THE FOOD FACILITY MUST BE PROVIDED WITH HOT WATER (MIN. 120 DEG F.) AND COLD RUNNING WATER UNDER PRESSURE AND WILL HAVE A PREMIXING FAUCET CAPABLE OR SUPPLYING WARM WATER FOR A MINIMUM OF 10 SECONDS.
4. A HAND SINK IS PROVIDED IN EACH FOOD PREPARATION AREA WITH SINGLE SERVICE TOWEL AND SOAP DISPENSER.
5. A MOP SINK IS PROVIDED COMPLETE WITH BUILT-IN VACUUM BREAKER DISPENSER.
6. 4-COMPARTMENT AND/OR 3-COMPARTMENT SINKS ARE PROVIDED WITH MIXING VALVE FAUCETS CAPABLE OF REACH EACH COMPARTMENT.
7. A MIN. OF 50 FOOT CANDLES (215 LUX) OF LIGHT MEASURED 30" OFF THE FLOOR IS PROVIDED IN ALL FOOD PREPARATION, PACKAGING, AND PROCESSING AREAS, AND WHERE UTENSILS ARE CLEANED.
8. A MIN. OF 20 FOOT CANDLES (108 LUX) OF LIGHT MEASURED 30" OFF THE FLOOR IS PROVIDED IN ALL FOOD STORAGE AND UTENSIL STORAGE ROOMS.
9. A MIN. OF 20 FOOT CANDLES (108 LUX) OF LIGHT MEASURED 30" OFF THE FLOOR IS PROVIDED IN TOILET AND DRESSING ROOMS AND IN ALL AREAS DURING GENERAL CLEANUP ACTIVITIES.
10. ALL SHELVING OVER WET AREAS (SINKS, MOP SINKS, ETC.) WILL BE STAINLESS STEEL.
11. SHATTER SHIELDS OR SHATTERPROOF LIGHT BULBS TO BE PROVIDED FOR ALL LIGHTS ABOVE FOOD PREPARATION, WORK, AND STORAGE AREAS.
12. FOOD FACILITY IS 100% SINGLE SERVICE. ALL UTENSILS AND SERVING WARE ARE DISPOSABLE.
13. ALL PLUMBING, ELECTRICAL, AND GAS LINES SHALL BE CONCEALED WITHIN THE BUILDING STRUCTURE TO THE GREATEST EXTENT POSSIBLE.
14. FLOOR SINKS UNDER EQUIPMENT SHALL BE EASILY ACCESSIBLE FOR CLEANING AND SERVICING.
15. ALL FLOOR TILE TO BE SMOOTH UNDER EQUIPMENT AND WALKWAYS TO HAVE LIGHT TEXTURE ONLY.
16. REFER TO FINISH PLAN FOR ALL FINISHES IN THIS AREA.
17. ALL EQUIPMENT SHALL BE ON 6" NSF APPROVED LEGS, OR HEAVY DUTY SYNTHETIC CASTERS, OR CURBS WITH 3/8" RADIUS SANITARY COVE.


KEYNOTES:

(X)	KEY NOTE
3E	REFERENCE 2/J-EQ1.1.
4E	12" MINIMUM DEEP BASINS, TYPICAL.
6E	WALK-IN COOLER/FREEZER PANEL SPECIFICATIONS (N.S.F. APPROVED) INSULATION: 4" THICK FOAMED-IN-PLACE "FIP" URETHANE CONFORMING TO A.S.T.M. E-84-77A SPECS, AND HAVING A FLAME SPREAD OF 25 OR LESS FOR EACH PANEL.
8E	GROMMET HOLE, TYPICAL. GC TO PROVIDE 2" STAINLESS STEEL GROMMETS AT CORIAN COUNTERTOPS. PROVIDE CONTINUOUS SILICONE WATERTIGHT SEAL AT GROMMETS IN CORIAN COUNTERTOPS. GROMMETS IN STAINLESS STEEL COUNTERTOPS BY VENDORS.
9E	PUSH BUTTON BUZZER UNDER COUNTER ROUTED TO BUZZER OVER MANAGER'S DESK.
10E	DRIP THROUGH IN SS COUNTER BY SS VENDOR. GC TO PROVIDE INDIRECT DRAIN TO NEAREST FLOOR SINK. REFER TO PLUMBING DRAWINGS.
11E	RECESSED SPOON AND STRAW HOLDERS PROVIDED BY OWNER, INSTALLED BY GC. PROVIDE 4.25" DIAMETER OPENING IN COUNTER. VERIFY FINAL LOCATION WITH OWNER PRIOR TO INSTALL. PROVIDE CONTINUOUS WATERTIGHT SEAL.
12E	TRASH CHUTE OPENING IN COUNTER. GC TO PROVIDE 8" DIAMETER X 3" DEEP STAINLESS STEEL GROMMET. VERIFY FINAL LOCATION WITH OWNER. PROVIDE CONTINUOUS WATERTIGHT SEAL.
13E	GT-1 BACKSPLASH PROVIDED BY VENDOR, INSTALLED BY GC, WHERE CORIAN COUNTERTOP MEETS WALL.



2 4-COMP SINK PLAN

3/4" = 1'-0" NOTE:



© Copyright 2019
DS Architecture, LLC. All rights reserved.

TravelCenters of America LLC
Tejon East Travel Plaza at Wheeler Ridge

5621 Outlets at Tejon Parkway
Wheeler Ridge, CA 93203

Issue Description:
ISSUED FOR PERMIT


Revision Schedule
DATE DESCRIPTION

Project #: 19027
Issue Date: 08/21/2019

J-EQ1.1

JAMBA EQUIPMENT
PLAN

EQUIPMENT													PLUMBING										WASTE										GAS										ELECTRICAL										REMARKS
NO	QTY	ITEM	MANUFACTURER	MODEL	FURN BY	INSTALL BY	FINAL CONNECT	WATER HW	WATER CW	HEIGHT	DIR	INDIRECT	HEIGHT	SIZE	BTU/HR	HEIGHT	VOLTS	LOAD	HZ	PHASE	AMPS	HP/WATT	OUTLET	DISCONNECT	HEIGHT																												
EQUIPMENT																																																					
E02	1	CRATHCO (DOUBLE BOWL)	CRATHCO SIMPLICITY	CS-2D-16	KES	GC												120	60		8.5A		5-15P				CIRCUIT VIA GFI BREAKER																										
E03	2	CRATHCO (MINI-QUAD)	CRATHCO SIMPLICITY	CS-4E-16	KES	GC												115	60		8.5A		5-15P				CIRCUIT VIA GFI BREAKER																										
E05	1	DIP BOX CABINET (LARGE)	NELSON	BD10RB 622 ASM	KES	GC												120		1	9/1035		5-15R				CIRCUIT VIA GFI BREAKER																										
E06	5	BLENDER W/PLEXIGLASS COVER, ON-COUNTER	BLENDETCO	STEALTH 985	KES	GC												120		1	15		5-20R				DEDICATED CIRCUIT FOR EACH BLENDER. SINGLE OUTLET RECEPTACLES. PROVIDE NEMA 5-20R SIMPLEX RECEPTACLE.																										
E07	1	WHEAT GRASS JUICER MACHINE	MIRACLE PRODUCTS	GREEN MACHINE MJ575	KES	GC												120		1							CIRCUIT VIA GFI BREAKER																										
E08	1	JUICE EXTRACTOR	ROBOT COUPE	J 100 ULTRA, 1 SPEED, 120V	KES	GC												120		1	9						CIRCUIT VIA GFI BREAKER. ETL LISTED & APPROVED.																										
E09	1	NARROW SPLIT CASE-WHITE	STRUCTURAL CONCEPTS	COU2757-WHITE	KES	GC												120		1	6.57						CIRCUIT VIA GFI BREAKER. ETL LISTED & APPROVED.																										
E10	1	2-DOOR REFRIGRATOR (UNDERCOUNTER)	DELFIELD	UC4048P	KES	GC												120		1	4		5-15P				CIRCUIT VIA GFI BREAKER																										
E11	1	SINGLE DOOR REFRIGRATOR (UNDERCOUNTER)	DELFIELD	406-CAP	KES	GC												120		1	5.8		5-15P				CIRCUIT VIA GFI BREAKER																										
E12	1	WALK-IN COOLER BOX W/COMP.	MASTER-BILT	5'-3" x 7'-0" INTERIOR, 8'-6" HIGH, W/ LIGHT FIXTURE	KES	GC												REF: ELEC.									GC MUST VERIFY ELECTRICAL REQUIREMENTS WITH WALK-IN SHOP DRAWINGS PRIOR TO INSTALLATION.																										
E13	1	WALK-IN FREEZER BOX W/COMP.	MASTER-BILT	5'-0" x 7'-0" INTERIOR, 8'-6" HIGH W/ LIGHT FIXTURE	KES	GC												REF: ELEC.									GC MUST VERIFY ELECTRICAL REQUIREMENTS WITH WALK-IN SHOP DRAWINGS PRIOR TO INSTALLATION.																										
E14	1	ICE MACHINE (FLAKES) AND BIN	SCOTSMAN	F9822A-1A W/ B322S	KES	GC												120		1	19.5						CONNECTED TO FILTERED WATER. PROVIDE 30A-3P NON-FUSED DISCONNECT. CIRCUIT VIA GFI BREAKER																										
E15	1	7 PANEL MENU BOARD	VGS	VGS	OWNER	VENDOR																																															
E17	1	CITRUS JUICER MACHINE (COUNTERTOP)	ZUMEX	ESSENTIAL PRO	KES	GC												120		1							CIRCUIT VIA GFI BREAKER																										
E18	1	VENTLESS OVEN - SOTA	TURBO CHEF	THE SOTA	KES	GC												208		1	30		6-30P				UL710B (KNLZ) LISTED FOR VENTLESS OPERATION																										
E19	1	COUNTERTOP WARMER	INTELLISERV	IS-1/3	KES	GC												120V			4.2	500W	5-15P				CIRCUIT VIA GFI BREAKER																										
E20	1	RICE COOKER (OATMEAL COOKER)	TAR HONG	SEJ50000	KES	GC												120		1	15						CIRCUIT VIA GFI BREAKER																										
E21	1	OATMEAL CART	VOLLRATH	97120-SS UTILITY CART	KES	GC																																															
E22	1	MIGHTY TOP BOWL PREP FRIDGE	CONTINENTAL	SW727-12M	KES	GC																																															
E26	1	UNDER COUNTER FREEZER	BEVERAGE-AIR	UCF20HC	KES	GC												115	80	1	6.3	1/5HP	5-15P				SOLID DOOR - 12 PANS																										
E28	2	18" X 24" METRO STORAGE SHELVING - UNDER CNTR.	INTERMETRO	SUPER ERECTA 1824NK3 W/ 27.5" GREEN POSTS, 27.5PK3	KES	GC																																															
E29	2	18" X 24" METRO STORAGE SHELVING - 4 TIER	INTERMETRO	SUPER ERECTA 1824NK3	KES	GC																																															
E30	10	18" X 36" METRO STORAGE SHELVING - 4 TIER	INTERMETRO	SUPER ERECTA 1836NK3	KES	GC																																															
E31	5	18" X 48" METRO STORAGE SHELVING - 4 TIER	INTERMETRO	SUPER ERECTA 1848NK3	KES	GC																																															
E35	3	21" X 36" DUNNAGE RACK	CAMBRO	DR360	KES	GC																																															
GRAPHIC ELEMENTS																																																					
G04	1	"WHAT ARE YOU BLENDING?" WALL GRAPHIC	GRAPHICS VENDOR	CUSTOM	PSP	PSP																																															
G07	1	"GET YOUR BLEND ON" GRAPHIC	GRAPHICS VENDOR	CUSTOM	PSP	PSP																																															
G08	1	"GRAB & GO BEYOND THE STRAW" GRAPHIC	GRAPHICS VENDOR	CUSTOM	PSP	PSP																																															
G17	1	"THE WAY TO ONE'S HEART IS THROUGH A STRAW" GRAPHIC	GRAPHICS VENDOR	CUSTOM	PSP	PSP																																															
ACCESSORIES																																																					
A01	2	SOAP DISPENSER	COLGATE-PALMOLIVE	1846	OWNER	GC																																															
A02	2	HAND SANITIZER DISPENSER	COLGATE-PALMOLIVE	1846	OWNER	GC																																															
A03	2	PAPER TOWEL DISPENSER	BOBICK	B262	GC	GC																																															
A04	1	MOP HANGER	FLORESTONE	MR-372	GC	GC																																															
A05	2	UNDER COUNTER TRASH	BY OWNER	BY OWNER	OWNER	OWNER																																															
MILLWORK																																																					
M01	1	36" POS COUNTER	MILLWORK VENDOR	CUSTOM	MV	GC																					SHEET EQ1.1 FOR DIMENSIONS																										
M02	1	POS COUNTER	MILLWORK VENDOR	CUSTOM	MV	GC																																															
M04	1	MANAGERS DESK W/ SHELVES	MILLWORK VENDOR	CUSTOM	MV	GC																																															
M05	1	GLASS BUTT-JOINTED SHEET GUARD	MILLWORK VENDOR	CUSTOM	MV	GC																					IN SURFACE MOUNTED CHANNEL, 3/8" TEMPERED GLASS																										
M06	1	ORDER HAND OFF AND BLENDER COUNTER	MILLWORK VENDOR	CUSTOM	MV	GC																																															
M09	2	POS SHROUD	MILLWORK VENDOR	CUSTOM	MV	GC																																															
PLUMBING																																																					
P01	1	WATER HEATER - GAS	BRADFORD - WHITE, LOW NOX	D-75T-125E-3N, 125 MBH INPUT, 75 GAL CAP, 202 GPH RECOVERY @60 DEGREE RISE	GC	GC												120/1									ULTRA-LOW NOX. GC TO PROVIDE/INSTALL SEISMIC RESTRAINTS AND REQUIRED BY CODE. VERIFY REQUIRED																										
P02	1	WATER FILTER (LARGE)	FILPURE	FJ9326-05 FILTER ASSEMBLY WITH PREFILTER AND ALARM SYSTEM	OWNER	GC												120/1									OVERHEAD CLEARANCES AVAILABLE PRIOR TO ORDERING.																										
P03	1	SWING-TYPE FAUCET (4-COMP SINK)	FISHER	#13269	GC	GC																1.5/350					REFERENCE DRAWINGS FOR MOUNTING LOCATIONS																										
P04	1	INTEGRATED HAND SINK FAUCET	FISHER	#3526, W/ 3/8" SHANK	GC	GC																																															
P05	2	INTEGRATED PREP SINK FAUCET	FISHER	#3510, W/ 6" RIGID GOOSENECK SPOUT	GC	GC																																															
P06	1	DETERGENT DISPENSER	COLGATE-PALMOLIVE /AJAX	#7927	OWNER	GC																					PREP SINK GETS FCW																										
P08	1	WALL MOUNT HANDSINK FAUCET (SERVICE AREA)	ADVANCE TABCO	K-59 GOOSENECK SPOUT W/ AERATOR AND WRIST BLADE HANDLES	GC	GC																																															
P09	1	MOP SINK FAUCET	FISHER	#6253, W/ VACUUM BREAKER AND DOUBLE STOPS, BUCKET HOOK AND WALL SUPPORT	GC	GC																					PROVIDE WITH WATTS USC-B THERMOSTATIC MIXING VALVE (SET TO 110F)																										
P10	1	COMBO PRE-RINSE W/ ADD-ON FAUCET	FISHER	#3447H SPRING STYLE PRE-RINSE W/ ADD ON FAUCET	GC	GC																					PROVIDE 1/2" STUB @ MOP SINK																										
P11	1	APT. DISPENSER - PRODUCE WASH	COLLAB	VICTORY WASH	OWNER	OWNER																					CONNECT TO FILTERED WATER AT S44 PREP SINK																										
P12	1	MOP SINK	FLORESTONE	MSR-2424	GC	GC																																															
STAINLESS STEEL																																																					
S01	1	4-COMP SINK W/ BACK/END SPLASHES	CUSTOM STAINLESS	W/ FISHER #22208 ROTARY WASTE	KES	GC																					PROVIDE FLOW CONTROLS (WASTE LEVERS) ON STRAINERS. WITH P03 AND P12 FAUCET SET.																										
S02	1	SHELF (ABOVE 4-COMP SINK)	CUSTOM STAINLESS	84" X 13"	KES	GC																																															
S03	1	POS PRINTER SHELF	CUSTOM STAINLESS		KES	GC																																															
S04	1	DISPENSING COUNTER - CRATHCO	CUSTOM STAINLESS	CUSTOM, NO LOWER SHELF	KES	GC																					INDIRECT WASTE TO FLOOR SINK FOR DRIP TROUGH																										
S05	1	DISPLAY SHELF ABOVE SOTA OVEN/	CUSTOM STAINLESS	14" X 36" WALL SHELF	KES	GC																																															
S06	1	WHEAT GRASS TRAY - WALL MOUNTED	CUSTOM STAINLESS		KES	GC																																															
S07	1	UNDER COUNTER LID BIN	CUSTOM STAINLESS		KES	GC																					INDIRECT WASTE TO FLOOR SINK																										
S09	1	INTEGRATED WHEAT GRASS SINK	CUSTOM STAINLESS	12"L X 10"W X 12"D	KES	GC																					CONNECT TO FILTERED WATER. BRAIDED STAINLESS STEEL WASTE W/ P15A FAUCET SET																										
S10	1	INTEGRATED HAND SINK W/ SS SPLASH GUARDS	CUSTOM STAINLESS	W/ 6" H SS SPASH GUARD ON (3) SIDES	KES	GC																																															
S12	1	INTEGRATED ICE BIN - BLENDER STATION	CUSTOM STAINLESS	4" HIGH SPLASH GUARD AROUND ICE BIN, REF: EQ1.2	KES	GC																					INDIRECT WASTE TO FLOOR SINK																										
S13	1	JUICING COUNTER	CUSTOM STAINLESS	CUSTOM, WITH INTERGRATED SINK #509, NO LOWER SHELF	KES	GC																																															
S14	1	CUP I/O HOLDER	CUSTOM STAINLESS		KES	GC																																															
S15	1	COMBO BOOST BIN/BLENDER SHELF (LARGE)	CUSTOM STAINLESS	66.34"L, MOUNTED TO LARGE DIP BOX	KES	GC																																															
S17	1	OVEN COUNTER	CUSTOM STAINLESS	66" X 30", NO LOWER SHELF	KES	GC																																															
S18	1	WALL MOUNTED HAND SINK	ADVANCE TABCO	7-PS-60 WK6 72 FAUCET HOLE R	KES	GC																																															
S19	1	ONE COMPARTMENT SINK - PREP SINK	JOHN BOOS	1PB-1620 I024L	KES	KES	PC																				WITH P08 FAUCET SET																										
S20	3	RECESSED SPOON AND STRAW HOLDER	CUSTOM STAINLESS		OWNER	GC																					27"D X 46"W																										
S21	2	CUP DISPENSER	CUSTOM STAINLESS	UNDERCOUNTER	KES	GC																					VERIFY FINAL LOCATION WITH OWNER. PROVIDE CONTINUOUS WATERTIGHT SEAL																										
S22	2	DIPPER WELL/FAUCET	FISHER	#3941 DIPPERWELL FAUCET AND SINK ASSEMBLY	KES	GC																					FINAL FAUCET CONNECTION BY GC																										
OFFICE EQUIPMENT																																																					
T01	2	POS CASH REGISTER/DRAWER	TOAST	M-43-11-REV-D-VASARIO - 16X16, GRAVITY FLIP PRQ 2.0 MOUNT, ELO 1-SERIES 2.0 FOR ANDROID	OWNER	OWNER																					POWER & DATA FOR POS TERMINALS. COORDINATE WITH MILLWORK FOR EXACT LOCATION. SEE POS DETAILS IN ELECTRICAL DRAWINGS.																										
T02	1	IT CABINET	TRIPP-LITE	SMART RACK 15U LOW-PROFILE	OWNER	GC																																															
T03	1	POS RECEIPT PRINTER	IBM		OWNER	OWNER																																															



© Copyright 2019
DS Architecture, LLC. All rights reserved.

TravelCenters of America LLC

Tejon East Travel Plaza at Wheeler Ridge

5621 Outlets at Tejon Parkway
Wheeler Ridge, CA 93203

Issue Description:
ISSUED FOR PERMIT

Revision Schedule

#	DATE	DESCRIPTION
---	------	-------------

Project #: 19027
Issue Date: 08/21/2019

J-EQ2.1

EQUIPMENT SCHEDULE