



KEY NOTES (THIS SHEET ONLY)


① (B) ELECTRICAL ROOM - VERIFY LOCATION



LAYOUT PLAN - 1ST FLOOR - SOUTH





SCALE: 1/16" = 1'-0"



Chas Rhoads
Architecture
Interiors
Landscape

128 Katherine Street - Hanford - California - 93230
Phone: 559 - 584 - 3371
Postal Box 221 - Morro Bay - California - 93443
Phone: 805 - 234 - 6220
Email: chasrhoads@sbcglobal.net




Drawing Status:
Contract Document
Revision Summary:

Project:
New Dispatch Center Tulare County Sheriff & Fire 5300 West Tulare Avenue Visalia, California
Sheet Description:
Master Layout Plan 1st Floor - South


Date:	08/08/20
Project:	19-700
Scale:	1/16" = 1'
Sheet No.:	A1.1
Of 19 Sheets	

KEY NOTES (THIS SHEET ONLY)


- ① PREP AND PAINT THIS FULL WALL - MATCH (E) COLOR AND SHEEN
② (E) DATA ROOM LOCATION - VERIFY



LAYOUT PLAN - 1ST FLOOR - NORTH





SCALE: 1/16" = 1'-0"



Chas Rhoads
Architecture
Interiors
Landscape

128 Katherine Street - Hanford - California - 93230
Phone: 559 - 584 - 3371
Postal Box 221 - Marro Bay - California - 93443
Phone: 805 - 234 - 6220
Email: chasrhoads@bcglobal.net



Drawing Status:

Contract Document

Revision Summary:

NO.	DESCRIPTION	DATE

Project:

New Dispatch Center
Tulare County Sheriff & Fire
5300 West Tulare Avenue
Visalia, California

Sheet Description:

Master Layout Plan
1st Floor - North


Date:	08/08/20
Project:	19-700
Scale:	1/16" = 1'
Sheet No.:	A1.2

Of 19 sheets


KEY NOTES (THIS SHEET ONLY)



LAYOUT PLAN - 2ND FLOOR - SOUTH





SCALE: 1/16" = 1'-0"



Chas Rhoads
Architecture
Interiors
Landscape

128 Katherine Street - Hanford - California - 93230
Phone: 559 - 584 - 3371
Postal Box 221 - Marra Bay - California - 93443
Phone: 805 - 234 - 6220
Email: chasrhoads@sbcglobal.net




Drawing Status:
Contract Document
Revision Summary:

Project:	New Dispatch Center Tulare County Sheriff & Fire 5300 West Tulare Avenue Visalia, California
Sheet Description:	Master Layout Plan 2nd Floor - South


Date:	08/08/20
Project:	19-700
Scale:	1/16" = 1'
Sheet No.:	A2.1
Of 19 Sheets	

KEY NOTES (THIS SHEET ONLY)


Ⓜ (E) DATA ROOM LOCATION - VERIFY



LAYOUT PLAN - 2ND FLOOR - NORTH





SCALE: 1/16" = 1'-0"



Chas Rhoads
Architecture
Interiors
Landscape

128 Katherine Street - Hanford - California - 93230
Phone: 559 - 584 - 3371
Postal Box 221 - Morro Bay - California - 93443
Phone: 805 - 234 - 6220
Email: chasrhoads@sbcglobal.net



Drawing Status:
Contract Document
Revision Summary:

Project:	New Dispatch Center Tulare County Sheriff & Fire 5300 West Tulare Avenue Visalia, California
Sheet Description:	Master Layout Plan 2nd Floor - North

Date:	08/08/20
Project:	19-700
Scale:	1/16" = 1'
Sheet No.:	A2.2
Of 19 Sheets	

WALL KEY

- METAL STUD WALL - 600S162-33**
 @ 16" O.C. - FINISH PER SCHEDULE -
 R-19 UNFACED BATT INSULATION
 WALL SITS ON (E) CONCRETE SLAB
 ALL TRACKS, HEADERS, SILLS, KING
 AND TRIMMER STUDS SHALL BE 18-GA
- METAL STUD WALL - 600S162-33**
 @ 16" O.C. - FINISH PER SCHEDULE -
 R-19 UNFACED BATT INSULATION
 WALL SITS ON (N) RAISED ACCESS FLOOR
 ALL TRACKS, HEADERS, SILLS, KING
 AND TRIMMER STUDS SHALL BE 18-GA
- EXIST. STUD WALL TO REMAIN - PROTECT
- EXIST. CONC. WALL TO REMAIN - PROTECT
- EXISTING COLUMN TO REMAIN - PROTECT
- 1-HOUR RATED WALL PER A3.2

LEGEND

- 01 ROOM NUMBER
- 1 DOOR KEY - REFER TO SCHEDULE ON SHEET A5.1
- A WINDOW KEY- REFER TO SCHEDULE ON SHEET A5.1
- 1/4 SECTION INDICATOR
- FE 2A-10BC FIRE EXTINGUISHER IN WALL CABINET



ROOM KEY

- 01 SHERIFF DISPATCH CENTER
- 02 SHERIFF DISPATCH SUPERVISOR
- 03 FIRE DISPATCH CENTER
- 04 FIRE DISPATCH SUPERVISOR
- 05 ELECTRICAL AND DATA ROOM
- 06 STAFF ROOM
- 07 QUIET ROOM
- 08 STORAGE
- 09 RAMP & LANDING
- 10 HALL 1
- 11 HALL 2


KEY NOTES (THIS SHEET ONLY)

- 1 REMOVE (E) STOREFRONT ENTRANCE AND SIDELITES -
 REPLACE WITH NEW FRAME & DOOR PER SCHEDULE - ACCESS
 CONTROL AT DOOR
- 2 REMOVE (E) GLAZING - PROTECT WINDOW FRAME -
 RE-GLAZE WITH INSULATED UNIT - SAFETY GLASS
 PER SCHEDULE
- 3 REMOVE (E) DOOR AND FRAME - INFILL AND FINISH TO
 MATCH FLUSH BOTH FACES - FILL W/ BATT INSUL. - RE-PAINT
 ENTIRE WALL AT CORRIDOR SIDE TO MATCH (E)
- 4 REMOVE (E) DOOR AND FRAME - REPLACE WITH NEW
 FRAME & DOOR PER SCHEDULE - ACCESS CONTROL AT DOOR
- 5 SOFFIT TO MATCH WALLS @ +8'-2" A.F.F. / A.R.F.
- 6 DROPPED HEADER @ +8'-2" A.F.F.
- 7 (N) PLASTIC LAMINATE CABINETS
- 8 (N) STOREFRONT DOORS WITH DEADBOLT EACH SIDE -
 PROVIDE HOLD OPEN AT CLOSERS
- 9 (N) MOTORIZED GLARE AND PRIVACY ROLLER SHADES
 RECESSED INTO SOFFIT
- 10 (N) SOLID PLASTIC PERSONAL LOCKERS - (22) EACH AT
 18" W x 18" D x 36" H (STACKED)
- 11 SOLID DRAFT STOP BELOW FLOOR
- 12 CENTER LVT PATTERN ON RAMP
- 13 ROW (MIN. 4" WIDE) OF LUXURY VINYL TILE 'SOLID COLOR' AT
 TOP OF RAMP (ACCENT COLOR)
- 14 CENTER ON WALL
- 15 REMOVE (E) GLAZING - PROTECT WINDOW FRAME -
 RE-GLAZE WITH INSULATED PANEL PER SCHEDULE
- 16 CONTINUE LVT PATTERN INTO THIS ROOM
- 17 VERIFY STUD DEPTH THIS PORTION OF WALL
- 18 LINE OF RADIO ROOM ON 2ND FLOOR -
 REFER TO SHEET A3.2
- 19 (E) 1-HOUR RATED WALL

ENLARGED PLAN




SCALE: 1/4" = 1'-0"



Chas Rhoads
 Architecture
 Interiors
 Landscape

128 Katherine Street - Hanford - California - 93230
 Phone: 559 - 584 - 3371
 Postal Box 221 - Morro Bay - California - 93443
 Phone: 805 - 234 - 6220
 Email: chasrhoads@sbcglobal.net



Consultant:

Drawing Status:

Contract Document

Revision Summary:


Project:

New Dispatch Center
Tulare County Sheriff & Fire
5300 West Tulare Avenue
Visalia, California

Sheet Description:

Enlarged Plan - 1st Floor

Date: 08/08/20
 Project: 19-700
 Scale: 1/4" = 1'
 Sheet No.: **A3.1**
 Of 19 Sheets



1 TYPICAL 1-HOUR CONSTRUCTION
NO SCALE CONDITION @ RAISED FLOOR SIMILAR

WALL KEY

- EXIST. STUD WALL TO REMAIN - PROTECT
- EXIST. CONC. WALL TO REMAIN - PROTECT
- EXISTING COLUMN TO REMAIN - PROTECT


LEGEND

- ROOM NUMBER - ROOM NAME
- DOOR KEY - REFER TO SCHEDULE ON SHEET A5.1
- WINDOW KEY- REFER TO SCHEDULE ON SHEET A5.1
- SECTION INDICATOR
- FE 2A-10BC FIRE EXTINGUISHER IN WALL CABINET


ROOM KEY

- 21 RADIO ROOM


KEY NOTES (THIS SHEET ONLY)



ENLARGED PLAN






SCALE: 1/4" = 1'-0"



Chas Rhoads
Architecture
Interiors
Landscape


128 Katherine Street - Hanford - California - 93230
Phone: 559 - 584 - 3371
Postal Box 221 - Morro Bay - California - 93443
Phone: 805 - 234 - 6220
Email: chasrhoads@bcglobal.net



Project:
**New Dispatch Center
Tulare County Sheriff & Fire
5300 West Tulare Avenue
Visalia, California**

Sheet Description:
**Enlarged Plan - 2nd Floor
Detail**

Date: 08/08/20
Project: 19-700
Scale: 1/4" = 1'
Sheet No.: **A3.2**
Of # Sheets










Chas Rhoads

Architecture Interiors Landscape

128 Katherine Street - Hanford - California - 93230
Phone: 559 - 584 - 3371

Postal Box 221 - Marro Bay - California - 93443
Phone: 805 - 234 - 6220

Email: chasrhoads@sbcglobal.net




DOOR SCHEDULE											
NO.	THK.	RATING	SIZE	FRAME		DOOR		HARDWARE →			
				TYPE	FINISH	TYPE	FINISH	REMARKS			
01	1 3/4"	---	3'-0" X 7'-0"	2	---	A	---	2	3	4	
02	1 3/4"	---	3'-0" X 8'-0"	2	---	B	---	1			
03	1 3/4"	20 MINUTES	3'-0" X 8'-0"	1	P-4	C	---	2			
04	1 3/4"	20 MINUTES	3'-0" X 8'-0"	1	P-4	C	---	2			
05	1 3/4"	---	6'-0" X 8'-0"	2	---	D	---	1		5	
06	1 3/4"	---	6'-0" X 8'-0"	2	---	D	---	1		5	
07	1 3/4"	---	6'-0" X 8'-0"	2	---	D	---	1		5	
08	1 3/4"	20 MINUTES	3'-0" X 8'-0"	1	P-4	C	---	2		7	
09	1 3/4"	---	3'-0" X 8'-0"	2	---	B	---	1			
10	1 3/4"	20 MINUTES	3'-0" X 8'-0"	1	P-4	C	---				
11	1 3/4"	20 MINUTES	3'-0" X 8'-0"	1	P-4	C	---				
12	1 3/4"	---	3'-0" X 8'-0"	2	---	B	---	1			
13	1 3/4"	20 MINUTES	3'-0" X 8'-0" VERIFY	1	P-4	B	---	2		4	
20	(E)	(E)	(E)	3	(E)	E	(E)	2		6	7

Diagram of a door assembly with dimensions and labels:

- Top horizontal dimension: 5'-10" VERIFY
- Top right horizontal dimension: 9'-0"
- Left side vertical dimension: 6' A.S.2
- Right side vertical dimension: 4'-0" VERIFY
- Bottom right vertical dimension: 8'-0"
- Labels: G3, G3, G3, DOOR NO. 1, SIM, 6' A.S.2, 6' A.S.2, 6' A.S.2
- Bottom center label: G

FINISH SCHEDULE																			
NO.	NAME	FLOOR		BASE		WSCT.		WALLS								CEILING			REMARKS
		MAT.	FIN.	MAT.	HT.	MAT.	HT.	NORTH		EAST		SOUTH		WEST		MAT.	FIN.	HT.	
01	SHERIFF DISPATCH	RAC	CPT	RTB	4'	---	---	GB	P-1	GB	P-1	PLY 2 GB	P-1	EXW	P-1	AC	---	PER PLAN	(1) (2)
02	SHERIFF SUPERVISOR	RAC	CPT	RTB	4'	---	---	GB	P-1	GB	P-1	GB	P-1	GB	P-1	AC	---	PER PLAN	(1) (2)
03	FIRE DISPATCH	RAC	CPT	RTB	4'	---	---	PLY 2 GB	P-1	GB	P-1	GB	P-1	GB	P-1	AC	---	PER PLAN	(1) (2)
04	FIRE SUPERVISOR	RAC	CPT	RTB	4'	---	---	GB	P-1	EXW	P-1	EXW	P-1	GB	P-1	AC	---	PER PLAN	(1) (2)
05	ELECTRICAL & DATA	RAC	CPT	RTB	4'	---	---	GB	P-1	GB	P-1	EXW	P-1	GB	P-1	AC	---	PER PLAN	(1) (2)
06	EMPLOYEE ROOM	CONC	LVT	RTB	4'	---	---	GB	P-1	EXW	P-1	GB	P-1	GB	P-1	AC	---	PER PLAN	(1) (2) (5)
07	QUIET ROOM	CONC	LVT	RTB	4'	---	---	GB	P-1	GB	P-1	GB	P-1	GB	P-1	AC	---	PER PLAN	(1) (2)
08	STORAGE	CONC	P-2	RTB	4'	---	---	GB	P-1	EXW	P-1	GB	P-1	GB	P-1	AC	---	PER PLAN	(1) (2)
09	RAMP & LANDING	PLY 1	LVT	RTB	4'	---	---	---	---	GB	P-1	GB	P-1	GB	P-1	AC	---	PER PLAN	(1) (3)
10	HALL 1	CONC	LVT	RTB	4'	---	---	EXW	P-1	EXW	P-1	GB	P-1	---	---	AC	---	PER PLAN	(1) (4) (5)
11	HALL 2	CONC	LVT	RTB	4'	---	---	EXW	P-1	GB	P-1	GB	P-1	EXW	P-1	AC	---	PER PLAN	(1) (4) (5)

A5.1




- EQUIPMENT KEY**
- A I-CLASS BADGE READER - MOUNT ON NON-SECURE SIDE - OPPOSITE HINGE SIDE
VERIFY LOCATION WITH ARCHITECT IN THE FIELD
HID RP40 MULTICLASS SE (MULLION) - CONFIRM
 - B ELECTRONIC PANIC DEVICE
VON DUPRIN GEL-RX-35A-NL-OP
 - C ELECTRIC HINGE
VON DUPRIN EPT2
 - D REQUEST TO EXIT - MOUNT ON SECURE SIDE
BOSCH DS 150H
 - E DOOR CONTACT SENSOR
INTERLOGIX 1078-N
 - F DC POWER SUPPLY
VON DUPRIN PS902
 - G POE SWITCH
 - H DC POWER SUPPLY
ALTRONIX AL600ULPD8
 - I DOOR CONTROLLER (PROVIDED BY OWNER)
IDENTIV EM 100
- WIRE KEY**
- 1 STRANDED 16/2
 - 2 STRANDED 16/4
 - 3 STRANDED 16/2
 - 4 STRANDED 16/8

PROVIDE 1/4" CONDUIT STUBS UNLESS OTHERWISE NOTED ON THE ELECTRICAL PLANS

7 DOOR ACCESS SYSTEM - EXIT DEVICE

NO SCALE ALL EQUIPMENT PROVIDED AND INSTALLED BY CONTRACTOR EXCEPT DOOR CONTROLLER WHICH IS PROVIDED BY OWNER AND INSTALLED BY CONTRACTOR




- EQUIPMENT KEY**
- A I-CLASS BADGE READER - MOUNT ON NON-SECURE SIDE - OPPOSITE HINGE SIDE
VERIFY LOCATION WITH ARCHITECT IN THE FIELD
HID RP40 MULTICLASS SE (MULLION) - CONFIRM
 - B ELECTRONIC LOCKSET
SCHLAGE N80PDEU
 - C ELECTRIC HINGE
IVES 58B1 4.5x4.5
 - E DOOR CONTACT SENSOR
INTERLOGIX 1078-N
 - F DC POWER SUPPLY
VON DUPRIN PS902
 - G POE SWITCH
 - H DC POWER SUPPLY
ALTRONIX AL600ULPD8
 - I DOOR CONTROLLER (PROVIDED BY OWNER)
IDENTIV EM 100
- WIRE KEY**
- 1 STRANDED 16/2
 - 3 STRANDED 16/2
 - 4 STRANDED 16/8

PROVIDE 1/4" CONDUIT STUBS UNLESS OTHERWISE NOTED ON THE ELECTRICAL PLANS


8 DOOR ACCESS SYSTEM - LOCKSET

NO SCALE ALL EQUIPMENT PROVIDED AND INSTALLED BY CONTRACTOR EXCEPT DOOR CONTROLLER WHICH IS PROVIDED BY OWNER AND INSTALLED BY CONTRACTOR




4 HEAD @ INTERIOR H.M. DOOR (JAMB SIMILAR)

SCALE: 3" = 1'-0"




5 JAMB @ EXTERIOR ALUM. DOOR (HEAD SIMILAR)

SCALE: 3" = 1'-0"




6 HEAD @ EXTERIOR STOREFRONT (JAMB SIMILAR)

SCALE: 3" = 1'-0"




1 HEAD @ STOREFRONT (JAMB SIMILAR)

SCALE: 3" = 1'-0"




2 SILL @ STOREFRONT (RAISED FLOOR)

SCALE: 3" = 1'-0"



3 SILL @ STOREFRONT (SLAB)

SCALE: 3" = 1'-0"




Chas Rhoads
Architecture
Interiors
Landscape

128 Katherine Street - Hanford - California - 93230
Phone: 559 - 584 - 3371

Postal Box 221 - Morro Bay - California - 93443
Phone: 805 - 234 - 6220

Email: chasrhoads@bcglobal.net



Drawing Status:

Contract Document

Revision Summary:

Project:

**New Dispatch Center
Tulare County Sheriff & Fire
5300 West Tulare Avenue
Visalia, California**


Sheet Description:

Door & Window Details


Date:	07/20/20
Project:	19-700
Scale:	None
Sheet No.:	A5.2
Of 19 sheets	

KEY NOTES (THIS SHEET ONLY)


- ① (N) RAISED ACCESS FLOOR SYSTEM TO +5½" A.F.F.
- ② (N) DOOR PER SCHEDULE
- ③ (N) STOREFRONT PER SCHEDULE
- ④ (N) CONTINUOUS 1X TRIM DOWN TO TOP OF (E) WINDOW - MITER ALL JOINTS - PAINT TO MATCH CEILING
- ⑤ (N) FIRE EXTINGUISHER CABINET
- ⑥ RE-GLAZE (E) WINDOW PER SCHEDULE
- ⑦ (N) MOTORIZED ROLLER BLIND UNIT ABOVE CEILING - REFER TO ⑥ A102
- ⑧ (N) DROPPED SOFFIT PER REFLECTED CEILING PLAN
- ⑨ (N) CONTINUOUS 1X6 TRIM - MITER ALL JOINTS - PAINT TO MATCH CEILING
- ⑩ (N) PRE-FORMED INSULATION ON ALL EXPOSED PIPING
- ⑪ (N) PLASTIC LAMINATE CASEWORK AS DETAILED
- ⑫ (N) METAL STUD DRAFT STOP
- ⑬ (N) REFRIGERATOR PER SPECIFICATIONS SECTION 11450
- ⑭ (N) MICROWAVE PER SPECIFICATIONS SECTION 11450
- ⑮ (N) 4' TALL INDIVIDUAL ALUMINUM LETTERS PER SPECIFICATIONS SECTION 10425
- ⑯ (N) RAMP AND LANDING CONSTRUCTION AS DETAILED
- ⑰ (N) STEEL RAILING AS DETAILED - PAINT P-
- ⑱ (N) CONTINUOUS 1X TRIM - MITER ALL JOINTS - PAINT TO MATCH CEILING
- ⑲ (N) SOLID PLASTIC LOCKERS PER SPECIFICATIONS SECTION 10500
- ⑳ EQUIP (N) DOOR WITH ACCESS CONTROL SYSTEM
- ㉑ (E) DOOR AND FRAME TO BE REMOVED - INFILL WALL WITH FRAMING TO MATCH (E) - FINISH TO MATCH (E)
- ㉒ (N) ¾" PLYWOOD ATTACHED TO (E) WALL FRAMING ON FULL WALL UP TO MIN. 3' ABOVE (N) CEILING LINE - FACE WITH (N) GYP. BD. AND FINISH PER SCHEDULE
- ㉓ RE-TEXTURE (E) WALL TO MATCH (N) WALLS - TYPICAL
- ㉔ COPIER BY OWNER (N.I.C.)
- ㉕ VIDEO MONITORS BY OWNER - VERIFY EXACT LOCATION IN THE FIELD - REFER TO ELECTRICAL FOR REQUIRED CONNECTIONS
- ㉖ CLOCK BY OWNER - VERIFY EXACT LOCATION IN THE FIELD - REFER TO ELECTRICAL FOR REQUIRED CONNECTIONS
- ㉗ (N) MOTORIZED ROLLER BLIND



NORTH




EAST




SOUTH

O1 SHERIFF DISPATCH




WEST




NORTH


O2 SHERIFF SUPERVISOR




EAST




SOUTH




WEST



NORTH




EAST



SOUTH

O3 FIRE DISPATCH




WEST

INTERIOR ELEVATIONS

① REFER TO SPECIFICATIONS SECTION 10800 FOR KEY TO ACCESSORIES

SCALE: ¼" = 1'-0"







Chas Rhoads
Architecture
Interiors
Landscape

128 Katherine Street - Hanford - California - 93230
Phone: 559 - 584 - 3371


Postal Box 221 - Morro Bay - California - 93443
Phone: 805 - 234 - 6220

Email: chasrhoads@sbglobal.net







KEY NOTES (THIS SHEET ONLY)





- ① (N) RAISED ACCESS FLOOR SYSTEM TO +5½' A.F.F.
- ② (N) DOOR PER SCHEDULE
- ③ (N) STOREFRONT PER SCHEDULE
- ④ (N) CONTINUOUS 1X TRIM DOWN TO TOP OF (E) WINDOW - MITER ALL JOINTS - PAINT TO MATCH CEILING
- ⑤ (N) FIRE EXTINGUISHER CABINET
- ⑥ RE-GLAZE (E) WINDOW PER SCHEDULE
- ⑦ (N) MOTORIZED BLIND UNIT ABOVE CEILING - REFER TO 5
A10.2
- ⑧ (N) DROPPED SOFFIT PER REFLECTED CEILING PLAN
- ⑨ (N) CONTINUOUS 1X6 TRIM - MITER ALL JOINTS - PAINT TO MATCH CEILING
- ⑩ (N) PRE-FORMED INSULATION ON ALL EXPOSED PIPING
- ⑪ (N) PLASTIC LAMINATE CASEWORK AS DETAILED
- ⑫ (N) COMPRESSION-FIT BATT INSULATION DRAFT STOP
- ⑬ (N) REFRIGERATOR PER SPECIFICATIONS SECTION 11450
- ⑭ (N) MICROWAVE PER SPECIFICATIONS SECTION 11450
- ⑮ (N) 4" TALL INDIVIDUAL ALUMINUM LETTERS PER SPECIFICATIONS SECTION 10426
- ⑯ (N) RAMP AND LANDING CONSTRUCTION AS DETAILED
- ⑰ (N) STEEL RAILING AS DETAILED - PAINT P-
- ⑱ (N) CONTINUOUS 1X TRIM - MITER ALL JOINTS - PAINT TO MATCH CEILING
- ⑲ (N) SOLID PLASTIC LOCKERS PER SPECIFICATIONS SECTION 10500
- ⑳ EQUIP (N) DOOR WITH ACCESS CONTROL SYSTEM
- ㉑ (E) DOOR AND FRAME TO BE REMOVED - INFILL WALL WITH FRAMING TO MATCH (E) - FINISH TO MATCH (E)
- ㉒ (N) ¾" PLYWOOD ATTACHED TO (E) WALL FRAMING ON FULL WALL UP TO MIN. 3" ABOVE (N) CEILING LINE - FACE WITH (N) GYP. BD. AND FINISH PER SCHEDULE
- ㉓ RE-TEXTURE (E) WALL TO MATCH (N) WALLS - TYPICAL
- ㉔ COFFEE MAKER BY OWNER (N.I.C.)







O4 FIRE SUPERVISOR







O5 I.T. & ELECTRICAL






O6 EMPLOYEE



O7 QUIET ROOM




O8 STORAGE



INTERIOR ELEVATIONS

T- REFER TO SPECIFICATIONS SECTION 10800 FOR KEY TO ACCESSORIES

SCALE: ¼" = 1'-0"





Chas Rhoads
Architecture
Interiors
Landscape

128 Katherine Street - Hanford - California - 93230
Phone: 559 - 584 - 3371

Postal Box 221 - Morro Bay - California - 93443
Phone: 805 - 234 - 6220

Email: chasrhoads@tbcglobal.net



Drawing Status:

Contract Document

Revision Summary:

Rev	Description

Project:

New Dispatch Center
Tulare County Sheriff & Fire
5300 West Tulare Avenue
Visalia, California

Sheet Description:

Interior Elevations


Date: 08/08/20

Project: 19-700

Scale: 1/4" = 1'



Sheet No.: A6.2

Of 19 Sheets



Chas Rhoads
Architecture
Interiors
Landscape



128 Katherine Street - Hanford - California - 93230
Phone: 559 - 584 - 3371
Postal Box 221 - Morro Bay - California - 93443
Phone: 805 - 234 - 6220
Email: chasrhoads@sbcglobal.net



Drawing Status:
Contract Document
Revision Summary:

Project:
New Dispatch Center Tulare County Sheriff & Fire 5300 West Tulare Avenue Visalia, California
Sheet Description:
Interior Elevations



Date:	08/08/20
Project:	19-700
Scale:	1/4" = 1'
Sheet No.:	A6.3
Of 19 Sheets	



10 HALL 1

KEY NOTES (THIS SHEET ONLY)









- ① (N) RAISED ACCESS FLOOR SYSTEM TO +5 1/2' A.F.F.
- ② (N) DOOR PER SCHEDULE
- ③ (N) STOREFRONT PER SCHEDULE
- ④ (N) CONTINUOUS 1X TRIM DOWN TO TOP OF (E) WINDOW - MITER ALL JOINTS - PAINT TO MATCH CEILING
- ⑤ (N) FIRE EXTINGUISHER CABINET
- ⑥ RE-GLAZE (E) WINDOW PER SCHEDULE
- ⑦ (N) MOTORIZED BLIND UNIT ABOVE CEILING - REFER TO ⑥ A10.2
- ⑧ (N) DROPPED SOFFIT PER REFLECTED CEILING PLAN
- ⑨ (N) CONTINUOUS 1X6 TRIM - MITER ALL JOINTS - PAINT TO MATCH CEILING
- ⑩ (N) PRE-FORMED INSULATION ON ALL EXPOSED PIPING
- ⑪ (N) PLASTIC LAMINATE CASEWORK AS DETAILED
- ⑫ (N) METAL STUD DRAFT STOP
- ⑬ (N) REFRIGERATOR PER SPECIFICATIONS SECTION 11450
- ⑭ (N) MICROWAVE PER SPECIFICATIONS SECTION 11450
- ⑮ (N) 4" TALL INDIVIDUAL ALUMINUM LETTERS PER SPECIFICATIONS SECTION 10426
- ⑯ (N) RAMP AND LANDING CONSTRUCTION AS DETAILED
- ⑰ (N) STEEL RAILING AS DETAILED - POWDER COAT FINISH PER ARCHITECT
- ⑱ (N) CONTINUOUS 3/4" MDF TRIM DOWN TO +8'-2" A.F.F. - MITER ALL JOINTS - PAINT TO MATCH CEILING
- ⑲ (N) SOLID PLASTIC LOCKERS PER SPECIFICATIONS SECTION 10500
- ⑳ EQUIP (N) DOOR WITH ACCESS CONTROL SYSTEM
- ㉑ (E) DOOR AND FRAME TO BE REMOVED - INFILL WALL WITH FRAMING TO MATCH (E) - FINISH TO MATCH (E)
- ㉒ (N) 3/4" PLYWOOD ATTACHED TO (E) WALL FRAMING ON FULL WALL UP TO MIN. 3" ABOVE (N) CEILING LINE - FACE WITH (N) GYP. BD. AND FINISH PER SCHEDULE
- ㉓ RE-TEXTURE (E) WALL TO MATCH (N) WALLS - TYPICAL



11 HALL 2

INTERIOR ELEVATIONS

SCALE: 1/4" = 1'-0"



- KEY NOTES (SIGNAGE ONLY)
- 1 4" TALL INDIVIDUAL METAL LETTERS - REFER TO SPECIFICATIONS SECTION 10426 AND INTERIOR ELEVATIONS
 - 2 PROVIDE BLANK SIGN PANEL OF EQUAL DIMENSIONS ON OPPOSITE FACE WHERE SIGN IS MOUNTED ON GLASS

SIGN REQUIREMENTS

CHARACTERS, SYMBOLS AND THEIR BACKGROUND SHALL HAVE A NONGLARE FINISH.



VISUAL AND RAISED CHARACTERS ON SIGNS SHALL BE SELECTED FROM FONTS WHERE THE WIDTH OF THE UPPERCASE LETTER 'O' IS 60% MINIMUM AND 100% MAXIMUM OF THE HEIGHT OF THE UPPERCASE LETTER 'I'. STROKE THICKNESS OF THE UPPERCASE LETTER 'I' SHALL BE 10% MINIMUM AND 20% MAXIMUM OF THE HEIGHT OF THE CHARACTER.

RAISED CHARACTERS ON SIGNS SHALL BE RAISED 1/32" MINIMUM AND SHALL BE SANS SERIF UPPERCASE CHARACTERS.

BRAILLE SHALL BE PLACED A MINIMUM OF 3/8" AND A MAXIMUM OF 1/2" DIRECTLY BELOW THE TACTILE CHARACTERS, FLUSH LEFT OR CENTERED.


MOUNTING HEIGHT SHALL BE 48" MINIMUM, MEASURED FROM THE BASELINE OF THE LOWEST LINE OF BRAILLE, AND 60" MAXIMUM, MEASURED FROM THE BASELINE OF THE HIGHEST RAISED RAISED CHARACTERS, ABOVE THE FINISH FLOOR OR GROUND SURFACE.

SIGNAGE REQUIREMENTS



Chas Rhoads
Architecture
Interiors
Landscape

128 Katherine Street - Hanford - California - 93230
Phone: 559 - 584 - 3371
Postal Box 221 - Morro Bay - California - 93443
Phone: 805 - 234 - 6220
Email: chasrhoads@sbcglobal.net




Consultant:

Drawing Status:
Contract Document
Revision Summary:

Project:
New Dispatch Center
Tulare County Sheriff & Fire
5300 West Tulare Avenue
Visalia, California



Sheet Description:
Signage Requirements

Date:	08/08/20
Project:	19-700
Scale:	None
Sheet No.:	A7
Of 19 Sheets	



Chas Rhoads
Architecture
Interiors
Landscape

128 Katherine Street - Hanford - California - 93230
Phone: 559 - 584 - 3371
Postal Box 221 - Marro Bay - California - 93443
Phone: 805 - 234 - 6220
Email: chasrhoads@bcglobal.net



Drawing Status:

Contract Document

Revision Summary:

Revision	Description

Project:


New Dispatch Center
Tulare County Sheriff & Fire
5300 West Tulare Avenue
Visalia, California

Sheet Description:


Casework

Date:	08/08/20
Project:	19-700
Scale:	None
Sheet No.:	A8


Of 19 Sheets




1 CASEWORK @ SHERIFF DISPATCH EAST WALL
NO SCALE



2 CASEWORK @ FIRE DISPATCH SOUTH WALL
NO SCALE



3 CASEWORK @ EMPLOYEE EAST WALL
NO SCALE



4 CASEWORK @ EMPLOYEE WEST WALL
NO SCALE

KEY NOTES (THIS SHEET ONLY)

- | | |
|--|--|
| ① PLASTIC LAMINATE UPPER CABINETS WITH
FIXED SHELF | ⑤ PLASTIC LAMINATE COUNTERTOP WITH NO-D RIP
EDGE - 6" BACK AND SIDE SPLASH TO MATCH |
| ② PLASTIC LAMINATE LOWER CABINETS WITH
ADJUSTABLE SHELVES | ⑥ PRE-FORMED INSULATION ON ALL EXPOSED
PIPING |
| ③ DRAWERS | ⑦ 6" DIA. TRASH GROMMETT - FINISH PER ARCHITECT -
MOCKETT #TMC OR EQUAL |
| ④ FIXED PANELS TO MATCH | |

CASEWORK

IDENTIFICATION NUMBERS REFER TO NORTH
AMERICAN ARCHITECTURAL WOODWORK
STANDARDS - 3.1 PUBLISHED BY W.I.C.


NO SCALE

KEY NOTES (THIS SHEET ONLY)

- (1) (N) 2'-0" x 2'-0" RAISED ACCESS FLOOR SYSTEM PER SPECIFICATIONS SECTION 10270 - FINISH FLOOR HEIGHT = +0'-5 1/2" - REFER TO (8) A9.2
- (2) VERIFY REQUIRED FLOOR CORING IN I.T. ROOM WITH ELECTRICAL PLANS
- (3) (N) METAL STUD PARTITION SERVING AS DRAFT STOP
- (4) LINE OF (N) METAL STUD PARTITION MOUNTED ATOP RAISED ACCESS FLOOR SYSTEM
- (5) (N) SITE-BUILT WOOD RAMP SYSTEM WITH LVT FINISH
- (6) (E) STRUCTURAL POST TO REMAIN
- (7) (N) EXTRUDED ALUM RAMP MODULE



LEGEND

- LOCATION OF 3" DIA. CORE THROUGH RAISED ACCESS FLOOR SYSTEM - COORDINATE WITH COUNTY'S EQUIPMENT VENDOR AND ADJUST FLOOR SYSTEM AS REQUIRED




RAISED ACCESS FLOOR - PLAN

LAYOUT IS SCHEMATIC ONLY TO SHOW EXTENT OF REQUIRED SYSTEM - CONTRACTOR SHALL COORDINATE ACTUAL INSTALLATION REQUIREMENTS AND ADJUST/MODIFY AS REQUIRED TO PROVIDE AND INSTALL A COMPLETE AND FULLY FUNCTIONAL ACCESS FLOOR SYSTEM



Chas Rhoads
Architecture
Interiors
Landscape

128 Katherine Street - Hanford - California - 93230
Phone: 559 - 584 - 3371
Postal Box 221 - Marro Bay - California - 93443
Phone: 805 - 234 - 6220
Email: chasrhoads@bcglobal.net



Consultant:

Drawing Status:


Contract Document
Revision Summary:

Project:
**New Dispatch Center
Tulare County Sheriff & Fire
5300 West Tulare Avenue
Visalia, California**

Sheet Description:
Raised Access Floor Plan

Date:	08/08/20
Project:	19-700
Scale:	1/4" = 1'
Sheet No.:	A9.1

Of 19 Sheets





Chas Rhoads

Architecture Interiors Landscape

128 Katherine Street - Hanford - California - 93230
Phone: 559 - 584 - 3371

Postal Box 221 - Morro Bay - California - 93443
Phone: 805 - 234 - 6220

Email: chasrhoads@bcglobal.net



Drawing Status:

Contract Document

Revision Summary:

NO.	DESCRIPTION	DATE

Project:

New Dispatch Center
Tulare County Sheriff & Fire
5300 West Tulare Avenue
Visalia, California

Sheet Description:

Raised Access Floor Details


Date: 08/08/20

Project: 19-700


Scale: None

Sheet No.: A9.2


Of 19 Sheets




8 TYPICAL RAISED ACCESS FLOOR SYSTEM
NO SCALE




5 PARTITION ATTACHMENT TO RAISED FLOOR
NO SCALE




6 SITE-BUILT RAMP AND LANDING
NO SCALE




7 RAILING AT RAMP AND LANDING
NO SCALE




1 FLOOR PERIMETER AT EXISTING WALL
NO SCALE




2 FLOOR PERIMETER AT NEW WALL
NO SCALE



3 FLOOR PERIMETER AT PARTY WALL
NO SCALE



4 PARTITION ATTACHMENT AT DRAFT STOP
NO SCALE





Chas Rhoads

Architecture Interiors Landscape

128 Katherine Street - Hanford - California - 93230
Phone: 559 - 584 - 3371

Postal Box 221 - Morro Bay - California - 93443
Phone: 805 - 234 - 6220

Email: chasrhoads@bcglobal.net



Drawing Status:

Contract Document

Revision Summary:

Rev	Description

Project:

New Dispatch Center
Tulare County Sheriff & Fire
5300 West Tulare Avenue
Visalia, California

Sheet Description:

Reflected Ceiling Plan

Date:	08/08/20
Project:	19-700
Scale:	1/4" = 1'
Sheet No.:	A10.1
Of 19 sheets	

CEILING KEY

A 5/8" TYP. 'X' GYPSUM BOARD
TEXTURE TO MATCH WALLS
PAINT FINISH
HEIGHT: +9'-2" A.F.F./A.R.F.


B 24" x 24" x 3/4" ACOUSTIC PANELS WITH TEXTURED FACE
FIRE RATED
REGULAR EDGES
COLOR: WHITE
USG #55463
'ROCK FACE FIRECODE'
15/16" WIDE EXPOSED GRID SYSTEM
COLOR: WHITE
DOWN 'DX' OR EQUAL - REFER TO **6**
HEIGHT: INDICATED ON PLAN
1-HOUR RATED CEILING ASSEMBLY
IN AREAS INDICATED ON PLAN

C 24" x 48" x 3/4" ACOUSTIC PANELS WITH TEXTURED FACE
FIRE RATED
SQUARE EDGES
COLOR: WHITE
USG #56380
'ROCK FACE FIRECODE'
15/16" WIDE EXPOSED GRID SYSTEM
COLOR: WHITE
DOWN 'DX' OR EQUAL - REFER TO **5**
HEIGHT: +9'-0" A.R.F.
1-HOUR RATED CEILING ASSEMBLY


D 24" x 24" x 1" ACOUSTIC PANELS WITH SMOOTH FACE
REGULAR EDGES
COLOR: BLACK
ARMSTRONG #2822BK
'CALLA'
15/16" WIDE EXPOSED GRID SYSTEM
COLOR: BLACK
DOWN 'DX' OR EQUAL - REFER TO **5**
HEIGHT: +9'-0" A.R.F.

KEY NOTES (THIS SHEET ONLY)


- ① LINE OF UPPER CABINETS
- ② MOTORIZED ROLLER SHADE UNIT RECESSED INTO
CEILING REFER TO **6**
- ③ START GRID PATTERN HERE
- ④ 2 LAYERS 5/8" GYP. BD. ON SOFFIT FOR 1-HOUR RATING




REFLECTED CEILING PLAN




SCALE: 1/4" = 1'-0"




6 RECESSED MOTORIZED ROLLER SHADES
NO SCALE




4 TYPICAL LOWERED CEILING FRAMING
NO SCALE




5 TYPICAL SUSPENDED CEILING INSTALLATION
NO SCALE



1 DROPPED HEADER AT HALL 1
NO SCALE




2 DROPPED HEADER AT HALL 2
NO SCALE



3 DROPPED HEADER ATTACHMENT
NO SCALE

- SUSPENDED CEILINGS SHALL BE DESIGNED AND INSTALLED IN ACCORDANCE WITH ASTM C 635, ASTM C 636, AND CISCA
- A HEAVY-DUTY GRID SYSTEM SHALL BE USED
- PERIMETER SUPPORTING CLOSURE ANGLE SHALL BE MINIMUM 2" WIDE
- ONE END OF THE CEILING GRID SHALL BE ATTACHED TO THE CLOSURE ANGLE IN EACH ORTHOGONAL HORIZONTAL DIRECTION. THE OTHER END SHALL HAVE A 3/4" CLEARANCE FROM THE WALL AND SHALL REST ON THE CLOSURE ANGLE AND BE FREE TO SLIDE.
- SPRINKLER HEADS OR OTHER SIMILAR PENETRATIONS NOT BEHAVING INTEGRALLY WITH THE CEILING SYSTEM IN THE LATERAL DIRECTION SHALL HAVE A 2" OVERSIZE RING, SLEEVE OR ADAPTER THROUGH THE CEILING TILE TO ALLOW FOR FREE MOVEMENT OF AT LEAST 1" IN ALL DIRECTIONS. EXCEPTION: WHERE RISER BRACES ARE USED TO LIMIT LATERAL DEFLECTIONS. ALTERNATIVE: A SWING JOINT ACCOMMODATING 1" OF CEILING MOVEMENT IN ALL HORIZONTAL DIRECTIONS IS ALLOWED AT THE TOP OF THE SPRINKLER HEAD EXTENSION.
- POSITIVE BRACING SHALL BE PROVIDED AT CHANGES IN CEILING PLANE ELEVATION.
- CABLE TRAYS AND ELECTRICAL CONDUITS SHALL BE SUPPORTED INDEPENDENTLY OF THE CEILING.
- A STRUT SHALL BE ATTACHED TO THE SUSPENSION SYSTEM AND TO THE STRUCTURE ABOVE AT EACH BRACING.
- ATTACHMENT OF THE BRACING WIRES TO THE MAIN BEAM AND THE STRUCTURE SHALL SUPPORT THE GREATER OF 200# OR THE ACTUAL DESIGN LOAD WITH A SAFETY FACTOR OF TWO.
- IF PARTITIONS ARE ATTACHED TO THE SUSPENSION SYSTEM, THEY SHALL BE Laterally BRACED TO THE BUILDING STRUCTURE.
- PENDANT MOUNTED LIGHT FIXTURES MUST BE SUPPORTED FROM THE STRUCTURE AND SHALL NOT USE THE CEILING SUSPENSION SYSTEM FOR SUPPORT.
- LIGHT FIXTURES SHALL BE POSITIVELY ATTACHED TO THE SUSPENSION SYSTEM AND MUST BE ABLE TO WITHSTAND 100% OF THE FIXTURE WEIGHT.
- IF LIGHT FIXTURES WEIGH 56# OR LESS, THEY SHALL HAVE TWO 12-GAUGE WIRES ATTACHED AT DIAGONAL CORNERS. IF LIGHT FIXTURE WEIGHS MORE THAN 56#, IT SHALL BE INDEPENDENTLY SUPPORTED FROM THE BUILDING STRUCTURE.





Chas Rhoads
Architecture
Interiors
Landscape

128 Katherine Street - Hanford - California - 93230
Phone: 559 - 584 - 3371

Postal Box 221 - Morro Bay - California - 93443
Phone: 805 - 234 - 6220

Email: chasrhoads@bcglobal.net



Drawing Status:

Contract Document

Revision Summary:

Project:
**New Dispatch Center
Tulare County Sheriff & Fire**
**5300 West Tulare Avenue
Visalia, California**


Sheet Description:
Ceiling Details

Date: 08/08/20
Project: 19-700
Scale: Indicated
Sheet No.: **A10.2**
Of 19 Sheets


KEY NOTES (THIS SHEET ONLY)

① LINE OF NEW DISPATCH CENTER ON 1ST FLOOR


② LINE OF NEW RADIO ROOM ON 2ND FLOOR BELOW



PARTIAL ROOF PLAN





SCALE: 1/16" = 1'-0"



Chas Rhoads
Architecture
Interiors
Landscape

128 Katherine Street - Hanford - California - 93230
Phone: 559 - 584 - 3371
Postal Box 221 - Arroyo Bay - California - 93443
Phone: 805 - 234 - 6220
Email: chasrhoads@bcglobal.net



Drawing Status:

Contract Document

Revision Summary:

Revision	Description

Project:

New Dispatch Center
Tulare County Sheriff & Fire
5300 West Tulare Avenue
Visalia, California

Sheet Description:

Partial Roof Plan

Date:	08/08/20
Project:	19-700
Scale:	1/16" = 1'
Sheet No.:	A11

08 19 Sheets